



Depth of Field Tables in Feet for Supreme Prime lenses



Please choose your sensor format to see the related Depth of field tables.

Click on the Format to get linked to the relevant tables.

Super 35

Full-format

**Supreme Prime 25mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	1.5		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
0' 10"	0' 10"	0' 10"	0' 10"	0' 10"	0' 9 2/3"	0' 10 1/3"
0' 11"	0' 10 4/5"	0' 11 1/5"	0' 10 4/5"	0' 11 1/5"	0' 10 2/3"	0' 11 1/3"
1' 0"	0' 11 4/5"	1' 1/5"	0' 11 4/5"	1' 1/5"	0' 11 3/5"	1' 2/5"
1' 1"	1' 4/5"	1' 1 1/5"	1' 4/5"	1' 1 1/5"	1' 3/5"	1' 1 1/2"
1' 2"	1' 1 2/3"	1' 2 1/3"	1' 1 2/3"	1' 2 1/3"	1' 1 1/2"	1' 2 3/5"
1' 3"	1' 2 2/3"	1' 3 1/3"	1' 2 2/3"	1' 3 1/3"	1' 2 2/5"	1' 3 3/5"
1' 4"	1' 3 3/5"	1' 4 2/5"	1' 3 3/5"	1' 4 2/5"	1' 3 1/3"	1' 4 2/3"
1' 5"	1' 4 3/5"	1' 5 2/5"	1' 4 3/5"	1' 5 2/5"	1' 4 1/3"	1' 5 4/5"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/5"	1' 6 8/9"
1' 7"	1' 6 1/2"	1' 7 3/5"	1' 6 1/2"	1' 7 3/5"	1' 6 1/9"	1' 8 1/9"
1' 8"	1' 7 2/5"	1' 8 3/5"	1' 7 2/5"	1' 8 3/5"	1' 7"	1' 9 1/5"
1' 9"	1' 8 2/5"	1' 9 2/3"	1' 8 2/5"	1' 9 2/3"	1' 7 4/5"	1' 10 1/3"
1' 10"	1' 9 1/3"	1' 10 2/3"	1' 9 1/3"	1' 10 2/3"	1' 8 4/5"	1' 11 2/5"
2' 0"	1' 11 1/5"	2' 8/9"	1' 11 1/5"	2' 8/9"	1' 10 1/2"	2' 1 2/3"
2' 3"	2' 2"	2' 4 1/9"	2' 2"	2' 4 1/9"	2' 1 1/9"	2' 5 1/5"
2' 6"	2' 4 2/3"	2' 7 2/5"	2' 4 2/3"	2' 7 2/5"	2' 3 2/3"	2' 8 5/7"
2' 9"	2' 7 2/5"	2' 10 5/7"	2' 7 2/5"	2' 10 5/7"	2' 6 1/5"	3' 2/7"
3' 0"	2' 10 1/9"	3' 2"	2' 10 1/9"	3' 2"	2' 8 5/7"	3' 4"
3' 6"	3' 3 1/2"	3' 8 4/5"	3' 3 1/2"	3' 8 4/5"	3' 1 3/5"	3' 11 3/5"
4' 0"	3' 8 5/7"	4' 3 5/7"	3' 8 5/7"	4' 3 5/7"	3' 6 2/7"	4' 7 1/2"
5' 0"	4' 7"	5' 6"	4' 7"	5' 6"	4' 3 2/7"	6' 2/7"
7' 0"	6' 2 1/2"	8' 2/5"	6' 2 1/2"	8' 2/5"	5' 7 4/5"	9' 2 2/5"
10' 0"	8' 5 2/5"	12' 3"	8' 5 2/5"	12' 3"	7' 5 2/5"	15' 2 2/5"
20' 0"	14' 7 1/3"	31' 8 2/5"	14' 7 1/3"	31' 8 2/5"	11' 10 1/5"	63' 11 2/5"
INF	53' 11 1/9"	INF	53' 11 1/9"	INF	28' 11 2/3"	INF

**Supreme Prime 25mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
0' 10"	0' 9 3/5"	0' 10 2/5"	0' 9 1/2"	0' 10 1/2"	0' 9 1/3"	0' 10 4/5"
0' 11"	0' 10 3/5"	0' 11 2/5"	0' 10 2/5"	0' 11 2/3"	0' 10 1/5"	1' 0"
1' 0"	0' 11 1/2"	1' 3/5"	0' 11 1/3"	1' 4/5"	0' 11"	1' 1 1/5"
1' 1"	1' 2/5"	1' 1 2/3"	1' 1/5"	1' 2"	0' 11 4/5"	1' 2 2/5"
1' 2"	1' 1 1/3"	1' 2 4/5"	1' 1"	1' 3 1/5"	1' 2/3"	1' 3 2/3"
1' 3"	1' 2 1/5"	1' 4"	1' 2"	1' 4 1/3"	1' 1 1/2"	1' 4 8/9"
1' 4"	1' 3"	1' 5"	1' 2 2/3"	1' 5 1/2"	1' 2 1/5"	1' 6 1/5"
1' 5"	1' 4"	1' 6 1/5"	1' 3 3/5"	1' 6 2/3"	1' 3"	1' 7 3/5"
1' 6"	1' 4 4/5"	1' 7 1/3"	1' 4 2/5"	1' 7 8/9"	1' 3 4/5"	1' 8 8/9"
1' 7"	1' 5 2/3"	1' 8 1/2"	1' 5 1/5"	1' 9 1/5"	1' 4 3/5"	1' 10 1/3"
1' 8"	1' 6 3/5"	1' 9 2/3"	1' 6"	1' 10 1/2"	1' 5 1/3"	1' 11 2/3"
1' 9"	1' 7 2/5"	1' 10 4/5"	1' 6 4/5"	1' 11 2/3"	1' 6 1/9"	2' 1 1/9"
1' 10"	1' 8 1/3"	2' 1/9"	1' 7 3/5"	2' 1"	1' 6 4/5"	2' 2 1/2"
2' 0"	1' 10"	2' 2 1/2"	1' 9 1/5"	2' 3 2/3"	1' 8 1/5"	2' 5 1/2"
2' 3"	2' 2/5"	2' 6 1/5"	1' 11 1/2"	2' 7 4/5"	1' 10 1/3"	2' 10 2/7"
2' 6"	2' 2 4/5"	2' 10"	2' 1 2/3"	3' 0"	2' 1/3"	3' 3 2/7"
2' 9"	2' 5 1/5"	3' 1 8/9"	2' 3 8/9"	3' 4 2/5"	2' 2 1/5"	3' 8 3/5"
3' 0"	2' 7 1/2"	3' 6"	2' 6"	3' 9 1/9"	2' 4"	4' 2 2/7"
3' 6"	3' 0"	4' 2 2/5"	2' 10"	4' 7"	2' 7 1/2"	5' 3"
4' 0"	3' 4 2/7"	4' 11 2/7"	3' 1 4/5"	5' 5 4/5"	2' 10 5/7"	6' 5 5/7"
5' 0"	4' 2/5"	6' 7"	3' 8 4/5"	7' 6 4/5"	3' 4 1/2"	9' 7 2/7"
7' 0"	5' 2 4/5"	10' 6 4/5"	4' 8 8/9"	13' 4 4/5"	4' 2 1/5"	21' 6 2/5"
10' 0"	6' 9"	19' 4 2/5"	5' 11 1/5"	31' 8 1/5"	5' 1"	306' 4 1/2"
20' 0"	10' 1 5/7"	698' 3 8/9"	8' 5"	INF	6' 9 3/5"	INF
INF	20' 6"	INF	14' 6"	INF	10' 3"	INF

**Supreme Prime 25mm
Circle of Confusion 0.025mm**

Engraving	11.31		T-Stop 16.0		22.63	
	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
0' 10"	0' 9"	0' 11 1/5"	0' 8 2/3"	0' 11 2/3"	0' 8 1/3"	1' 3/5"
0' 11"	0' 10"	1' 2/5"	0' 9 2/5"	1' 1"	0' 9"	1' 2 1/3"
1' 0"	0' 10 2/3"	1' 1 2/3"	0' 10 1/5"	1' 2 3/5"	0' 9 3/5"	1' 4 1/9"
1' 1"	0' 11 2/5"	1' 3"	0' 11"	1' 4 1/9"	0' 10 1/5"	1' 5 8/9"
1' 2"	1' 1/5"	1' 4 1/2"	0' 11 3/5"	1' 5 4/5"	0' 10 4/5"	1' 8"
1' 3"	1' 1"	1' 5 8/9"	1' 1/5"	1' 7 2/5"	0' 11 1/3"	1' 10 1/9"
1' 4"	1' 1 3/5"	1' 7 1/3"	1' 1"	1' 9 1/9"	0' 12"	2' 2/5"
1' 5"	1' 2 2/5"	1' 8 4/5"	1' 1 1/2"	1' 11"	1' 2/5"	2' 2 8/9"
1' 6"	1' 3"	1' 10 2/5"	1' 2"	2' 8/9"	1' 1"	2' 5 1/2"
1' 7"	1' 3 4/5"	2' 0"	1' 2 2/3"	2' 2 8/9"	1' 1 2/5"	2' 8 1/2"
1' 8"	1' 4 2/5"	2' 1 3/5"	1' 3 1/3"	2' 4 8/9"	1' 2"	2' 11 1/2"
1' 9"	1' 5 1/9"	2' 3 1/5"	1' 3 4/5"	2' 7 1/9"	1' 2 2/5"	3' 2 4/5"
1' 10"	1' 5 2/3"	2' 5"	1' 4 2/5"	2' 9 2/5"	1' 2 4/5"	3' 6 3/5"
2' 0"	1' 7"	2' 8 5/7"	1' 5 1/2"	3' 2 2/5"	1' 3 2/3"	4' 3"
2' 3"	1' 8 4/5"	3' 2 1/2"	1' 7"	3' 10 4/5"	1' 4 8/9"	5' 7 1/5"
2' 6"	1' 10 1/2"	3' 9"	1' 8 2/5"	4' 8 4/5"	1' 6"	7' 6"
2' 9"	2' 1/9"	4' 4 1/5"	1' 9 2/3"	5' 8 4/5"	1' 7"	10' 5"
3' 0"	2' 1 2/3"	5' 1/5"	1' 10 8/9"	6' 11 1/2"	1' 7 8/9"	15' 4 1/3"
3' 6"	2' 4 1/2"	6' 7 1/2"	2' 1 1/5"	10' 6"	1' 9 3/5"	61' 7 4/5"
4' 0"	2' 7 1/5"	8' 8 2/5"	2' 3 1/5"	16' 11 1/2"	1' 11 1/9"	INF
5' 0"	2' 11 4/5"	15' 6 2/5"	2' 6 3/5"	123' 2/5"	2' 1 1/2"	INF
7' 0"	3' 7"	152' 7"	2' 11 4/5"	INF	2' 4 8/9"	INF
10' 0"	4' 2 5/7"	INF	3' 4 8/9"	INF	2' 8 1/9"	INF
20' 0"	5' 4"	INF	4' 1 1/9"	INF	3' 8/9"	INF
INF	7' 3"	INF	5' 1 1/2"	INF	3' 7 1/2"	INF

**Supreme Prime 29mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	1.5		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 4"	1' 3 2/3 0"	1' 4 1/3 0"	1' 3 3/5"	1' 4 2/5"	1' 3 1/2"	1' 4 1/2"
1' 5"	1' 4 2/3 0"	1' 5 1/3 0"	1' 4 3/5"	1' 5 2/5"	1' 4 1/2"	1' 5 3/5"
1' 6"	1' 5 2/3 0"	1' 6 1/3 0"	1' 5 1/2"	1' 6 1/2"	1' 5 2/5"	1' 6 2/3"
1' 7"	1' 6 3/5 0"	1' 7 2/5 0"	1' 6 1/2"	1' 7 1/2"	1' 6 1/3"	1' 7 4/5"
1' 8"	1' 7 3/5 0"	1' 8 2/5 0"	1' 7 2/5"	1' 8 3/5"	1' 7 1/5"	1' 8 4/5"
1' 9"	1' 8 1/2 0"	1' 9 1/2 0"	1' 8 2/5"	1' 9 3/5"	1' 8 1/9"	1' 9 8/9"
1' 10"	1' 9 1/2 0"	1' 10 1/2 0"	1' 9 1/3"	1' 10 2/3"	1' 9 1/9"	1' 11"
1' 11"	1' 10 2/5 0"	1' 11 3/5 0"	1' 10 1/3"	1' 11 4/5"	1' 10"	2' 1/9"
2' 0"	1' 11 2/5 0"	2' 2/3 0"	1' 11 1/5"	2' 8/9"	1' 10 8/9"	2' 1 1/5"
2' 3"	2' 2 1/5 0"	2' 3 4/5 0"	2' 2"	2' 4 1/9"	2' 1 3/5"	2' 4 3/5"
2' 6"	2' 5"	2' 7"	2' 4 2/3"	2' 7 2/5"	2' 4 1/3"	2' 8"
2' 9"	2' 7 4/5 0"	2' 10 1/5 0"	2' 7 1/2"	2' 10 5/7"	2' 6 8/9"	2' 11 2/5"
3' 0"	2' 10 3/5 0"	3' 1 1/2 0"	2' 10 1/5"	3' 2"	2' 9 1/2"	3' 2 8/9"
3' 6"	3' 4 1/9 0"	3' 8 1/9 0"	3' 3 3/5"	3' 8 4/5"	3' 2 3/5"	3' 10"
4' 0"	3' 9 1/2 0"	4' 2 5/7 0"	3' 8 4/5"	4' 3 3/5"	3' 7 3/5"	4' 5 2/7"
5' 0"	4' 8 1/5 0"	5' 4 2/7 0"	4' 7 1/9"	5' 6"	4' 5 2/7"	5' 8 3/5"
6' 0"	5' 6 3/5 0"	6' 6 2/5 0"	5' 5"	6' 8 3/5"	5' 2 1/2"	7' 1"
8' 0"	7' 2 3/5 0"	8' 11 5/7 0"	7' 0"	9' 4"	6' 7 4/5"	10' 2/5"
10' 0"	8' 9 3/5 0"	11' 7"	8' 5 5/7"	12' 2 1/3"	7' 11 5/7"	13' 5"
15' 0"	12' 5 1/3 0"	18' 10 1/2 0"	11' 9 2/3"	20' 6 3/5"	10' 10 1/5"	24' 3 1/3"
30' 0"	21' 3"	51' 1/9 0"	19' 5 1/2"	65' 5 8/9"	16' 11 4/5"	128' 7 4/5"
INF	72' 6 3/5 0"	INF	55' 1 4/5"	INF	38' 11 4/5"	INF

**Supreme Prime 29mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 4"	1' 3 1/3"	1' 4 2/3"	1' 3"	1' 5 1/9"	1' 2 2/3"	1' 5 3/5"
1' 5"	1' 4 1/5"	1' 5 8/9"	1' 4"	1' 6 1/5"	1' 3 1/2"	1' 6 4/5"
1' 6"	1' 5 1/9"	1' 7"	1' 4 4/5"	1' 7 2/5"	1' 4 1/3"	1' 8"
1' 7"	1' 6"	1' 8 1/9"	1' 5 2/3"	1' 8 3/5"	1' 5 1/5"	1' 9 1/3"
1' 8"	1' 6 8/9"	1' 9 1/5"	1' 6 1/2"	1' 9 4/5"	1' 6"	1' 10 3/5"
1' 9"	1' 7 4/5"	1' 10 1/3"	1' 7 1/3"	1' 10 8/9"	1' 6 2/3"	1' 11 4/5"
1' 10"	1' 8 2/3"	1' 11 1/2"	1' 8 1/5"	2' 1/5"	1' 7 1/2"	2' 1 1/5"
1' 11"	1' 9 3/5"	2' 3/5"	1' 9"	2' 1 2/5"	1' 8 1/3"	2' 2 1/2"
2' 0"	1' 10 1/2"	2' 1 4/5"	1' 9 8/9"	2' 2 3/5"	1' 9 1/9"	2' 3 8/9"
2' 3"	2' 1 1/9"	2' 5 1/3"	2' 1/3"	2' 6 2/5"	1' 11 2/5"	2' 8"
2' 6"	2' 3 3/5"	2' 8 8/9"	2' 2 2/3"	2' 10 1/5"	2' 1 1/2"	3' 2/7"
2' 9"	2' 6 1/9"	3' 1/2"	2' 5"	3' 2 1/5"	2' 3 2/3"	3' 4 8/9"
3' 0"	2' 8 3/5"	3' 4 1/5"	2' 7 1/3"	3' 6 2/7"	2' 5 2/3"	3' 9 3/5"
3' 6"	3' 1 2/5"	3' 11 8/9"	2' 11 4/5"	4' 2 8/9"	2' 9 5/7"	4' 7 4/5"
4' 0"	3' 6"	4' 7 8/9"	3' 4"	5' 0"	3' 1 2/5"	5' 7"
5' 0"	4' 2 8/9"	6' 1"	3' 11 8/9"	6' 8 1/5"	3' 8 2/7"	7' 9"
6' 0"	4' 11 2/7"	7' 7 3/5"	4' 7 2/7"	8' 7 2/7"	4' 2 2/5"	10' 6"
8' 0"	6' 2 3/5"	11' 2 1/2"	5' 8 2/7"	13' 5 2/5"	5' 1"	18' 8 2/3"
10' 0"	7' 4 2/7"	15' 7 1/5"	6' 7 3/5"	20' 4"	5' 10"	35' 5 1/2"
15' 0"	9' 9"	32' 7 1/2"	8' 6"	63' 7 8/9"	7' 2 1/2"	INF
30' 0"	14' 4 4/5"	INF	11' 10"	INF	9' 5 3/5"	INF
INF	27' 7"	INF	19' 6"	INF	13' 9 1/2"	INF

**Supreme Prime 29mm
Circle of Confusion 0.025mm**

Engraving	11.31		T-Stop 16.0		22.63	
	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 4"	1' 2 1/5"	1' 6 1/3"	1' 1 3/5"	1' 7 1/2"	1' 4/5"	1' 9 2/5"
1' 5"	1' 3"	1' 7 2/3"	1' 2 1/3"	1' 9"	1' 1 2/5"	1' 11 1/3"
1' 6"	1' 3 2/3"	1' 9"	1' 3"	1' 10 3/5"	1' 2"	2' 1 1/3"
1' 7"	1' 4 1/2"	1' 10 2/5"	1' 3 3/5"	2' 1/3"	1' 2 3/5"	2' 3 2/5"
1' 8"	1' 5 1/5"	1' 11 4/5"	1' 4 1/3"	2' 1 8/9"	1' 3"	2' 5 1/2"
1' 9"	1' 5 8/9"	2' 1 1/3"	1' 4 8/9"	2' 3 3/5"	1' 3 2/3"	2' 7 2/3"
1' 10"	1' 6 2/3"	2' 2 4/5"	1' 5 3/5"	2' 5 2/5"	1' 4 1/5"	2' 10 1/5"
1' 11"	1' 7 2/5"	2' 4 1/3"	1' 6 1/5"	2' 7 1/5"	1' 4 2/3"	3' 5/7"
2' 0"	1' 8 1/9"	2' 5 4/5"	1' 6 4/5"	2' 9 1/5"	1' 5 1/3"	3' 3 2/5"
2' 3"	1' 10 1/9"	2' 10 5/7"	1' 8 3/5"	3' 3 2/7"	1' 6 2/3"	4' 2/5"
2' 6"	2' 1/9"	3' 3 4/5"	1' 10 1/5"	3' 10 1/9"	1' 8 1/9"	4' 11 1/5"
2' 9"	2' 1 8/9"	3' 9 2/7"	1' 11 4/5"	4' 5 3/5"	1' 9 2/5"	6' 2/5"
3' 0"	2' 3 2/3"	4' 3 1/5"	2' 1 1/3"	5' 2 1/9"	1' 10 3/5"	7' 5"
3' 6"	2' 7 1/9"	5' 4 1/2"	2' 4 1/9"	6' 11"	2' 2/3"	11' 7 1/5"
4' 0"	2' 10 2/7"	6' 8"	2' 6 3/5"	9' 2 3/5"	2' 2 2/3"	20' 3/5"
5' 0"	3' 3 8/9"	10' 3/5"	2' 11 1/9"	17' 3 2/3"	2' 5 8/9"	INF
6' 0"	3' 8 8/9"	15' 2 2/5"	3' 2 4/5"	41' 8 1/2"	2' 8 3/5"	INF
8' 0"	4' 5"	42' 1"	3' 8 5/7"	INF	3' 3/5"	INF
10' 0"	4' 11 3/5"	INF	4' 1 2/7"	INF	3' 3 3/5"	INF
15' 0"	5' 11 1/5"	INF	4' 8 8/9"	INF	3' 8 2/5"	INF
30' 0"	7' 4 3/5"	INF	5' 7 1/2"	INF	4' 2 1/2"	INF
INF	9' 9"	INF	6' 10 4/5"	INF	4' 10 1/2"	INF

**Supreme Prime 35mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	1.52		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 1"	1' 1"	1' 4/5"	1' 1 1/5"	1' 4/5"	1' 1 1/5"
1' 2"	1' 2"	1' 2 1/5"	1' 1 4/5"	1' 2 1/5"	1' 1 4/5"	1' 2 1/3"
1' 3"	1' 2 4/5"	1' 3 1/5"	1' 2 4/5"	1' 3 1/3"	1' 2 2/3"	1' 3 1/3"
1' 4"	1' 3 4/5"	1' 4 1/5"	1' 3 2/3"	1' 4 1/3"	1' 3 3/5"	1' 4 1/3"
1' 5"	1' 4 4/5"	1' 5 1/3"	1' 4 2/3"	1' 5 1/3"	1' 4 3/5"	1' 5 2/5"
1' 6"	1' 5 2/3"	1' 6 1/3"	1' 5 3/5"	1' 6 2/5"	1' 5 3/5"	1' 6 2/5"
1' 7"	1' 6 2/3"	1' 7 1/3"	1' 6 3/5"	1' 7 2/5"	1' 6 1/2"	1' 7 1/2"
1' 8"	1' 7 2/3"	1' 8 2/5"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/5"
1' 9"	1' 8 3/5"	1' 9 2/5"	1' 8 1/2"	1' 9 1/2"	1' 8 2/5"	1' 9 3/5"
1' 10"	1' 9 3/5"	1' 10 2/5"	1' 9 1/2"	1' 10 3/5"	1' 9 2/5"	1' 10 2/3"
1' 11"	1' 10 1/2"	1' 11 1/2"	1' 10 2/5"	1' 11 3/5"	1' 10 1/3"	1' 11 2/3"
2' 0"	1' 11 1/2"	2' 1/2"	1' 11 2/5"	2' 2/3"	1' 11 1/5"	2' 4/5"
2' 3"	2' 2 2/5"	2' 3 2/3"	2' 2 1/5"	2' 3 8/9"	2' 2"	2' 4 1/9"
2' 6"	2' 5 1/5"	2' 6 4/5"	2' 5"	2' 7 1/9"	2' 4 4/5"	2' 7 1/3"
2' 9"	2' 8"	2' 10"	2' 7 2/3"	2' 10 2/7"	2' 7 1/2"	2' 10 3/5"
3' 0"	2' 10 4/5"	3' 1 1/5"	2' 10 1/2"	3' 1 3/5"	2' 10 1/5"	3' 1 8/9"
3' 3"	3' 1 5/7"	3' 4 1/2"	3' 1 2/7"	3' 4 8/9"	3' 1"	3' 5 2/7"
3' 6"	3' 4 1/2"	3' 7 5/7"	3' 4"	3' 8 1/5"	3' 3 3/5"	3' 8 5/7"
3' 9"	3' 7 1/5"	3' 10 8/9"	3' 6 5/7"	3' 11 3/5"	3' 6 2/7"	4' 1/9"
4' 0"	3' 10"	4' 2 1/5"	3' 9 2/5"	4' 2 8/9"	3' 8 8/9"	4' 3 1/2"
4' 6"	4' 3 1/2"	4' 8 4/5"	4' 2 5/7"	4' 9 4/5"	4' 2 1/9"	4' 10 1/2"
5' 0"	4' 8 4/5"	5' 3 1/2"	4' 7 8/9"	5' 4 5/7"	4' 7 1/5"	5' 5 3/5"
6' 0"	5' 7 1/2"	6' 5 1/5"	5' 6 1/5"	6' 7"	5' 5 1/5"	6' 8 2/7"
8' 0"	7' 4"	8' 9 2/5"	7' 2"	9' 4/5"	7' 2/7"	9' 3 1/2"
10' 0"	8' 12"	11' 3 1/5"	8' 8 3/5"	11' 8 4/5"	8' 6 1/5"	12' 1 1/3"
12' 0"	10' 7"	13' 10 1/2"	10' 2 2/7"	14' 7"	9' 11"	15' 2"
20' 0"	16' 3 4/5"	25' 9 8/9"	15' 5"	28' 5 1/3"	14' 9 4/5"	30' 9 1/3"
40' 0"	27' 6 1/2"	73' 4/5"	25' 8/9"	98' 10 1/2"	23' 6"	134' 3 2/5"
INF	88' 1/2"	INF	66' 11 1/5"	INF	56' 9 1/5"	INF

**Supreme Prime 35mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 2/3"	1' 1 1/3"	1' 3/5"	1' 1 1/2"	1' 2/5"	1' 1 3/5"
1' 2"	1' 1 2/3"	1' 2 1/3"	1' 1 3/5"	1' 2 3/5"	1' 1 1/3"	1' 2 4/5"
1' 3"	1' 2 3/5"	1' 3 2/5"	1' 2 1/2"	1' 3 3/5"	1' 2 1/5"	1' 4"
1' 4"	1' 3 3/5"	1' 4 2/5"	1' 3 2/5"	1' 4 2/3"	1' 3"	1' 5"
1' 5"	1' 4 3/5"	1' 5 1/2"	1' 4 2/5"	1' 5 4/5"	1' 4"	1' 6 1/5"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/3"	1' 6 8/9"	1' 4 4/5"	1' 7 1/3"
1' 7"	1' 6 2/5"	1' 7 3/5"	1' 6 1/5"	1' 8 1/9"	1' 5 2/3"	1' 8 1/2"
1' 8"	1' 7 2/5"	1' 8 2/3"	1' 7 1/9"	1' 9 1/5"	1' 6 3/5"	1' 9 2/3"
1' 9"	1' 8 1/3"	1' 9 2/3"	1' 8"	1' 10 1/3"	1' 7 2/5"	1' 10 4/5"
1' 10"	1' 9 1/5"	1' 10 4/5"	1' 8 8/9"	1' 11 2/5"	1' 8 1/3"	2' 1/9"
1' 11"	1' 10 1/9"	1' 11 8/9"	1' 9 4/5"	2' 1/2"	1' 9 1/9"	2' 1 1/3"
2' 0"	1' 11 1/9"	2' 1"	1' 10 2/3"	2' 1 2/3"	1' 10"	2' 2 1/2"
2' 3"	2' 1 4/5"	2' 4 1/3"	2' 1 2/5"	2' 5 1/5"	2' 2/5"	2' 6 1/5"
2' 6"	2' 4 3/5"	2' 7 3/5"	2' 4"	2' 8 4/5"	2' 2 4/5"	2' 10"
2' 9"	2' 7 1/3"	2' 10 8/9"	2' 6 3/5"	3' 2/5"	2' 5 1/5"	3' 2"
3' 0"	2' 9 8/9"	3' 2 2/7"	2' 9 1/9"	3' 4 1/9"	2' 7 1/2"	3' 6"
3' 3"	3' 3/5"	3' 5 4/5"	2' 11 5/7"	3' 7 8/9"	2' 9 5/7"	3' 10 1/5"
3' 6"	3' 3 1/5"	3' 9 1/5"	3' 2 1/5"	3' 11 5/7"	3' 0"	4' 2 1/2"
3' 9"	3' 5 4/5"	4' 5/7"	3' 4 3/5"	4' 3 3/5"	3' 2 1/9"	4' 6 8/9"
4' 0"	3' 8 2/5"	4' 4 2/7"	3' 7"	4' 7 3/5"	3' 4 1/5"	4' 11 1/2"
4' 6"	4' 1 2/5"	4' 11 1/2"	3' 11 4/5"	5' 3 8/9"	3' 8 2/7"	5' 9"
5' 0"	4' 6 2/5"	5' 7"	4' 4 2/5"	6' 1/2"	4' 2/7"	6' 7 2/7"
6' 0"	5' 4"	6' 10 1/5"	5' 1 1/5"	7' 6 4/5"	4' 7 5/7"	8' 5 4/5"
8' 0"	6' 10 2/7"	9' 7 1/5"	6' 5 5/7"	11' 1"	5' 9"	13' 2"
10' 0"	8' 3 2/7"	12' 7 2/3"	7' 8 5/7"	15' 4"	6' 8 2/5"	19' 8 1/5"
12' 0"	9' 7"	16' 1/3"	8' 10 2/7"	20' 7 2/3"	7' 6 1/2"	29' 4 3/5"
20' 0"	14' 1"	34' 5 4/5"	12' 6 3/5"	66' 8 2/7"	10' 3/5"	1914' 1"
40' 0"	21' 8 1/2"	254' 2/3"	18' 3"	INF	13' 4 4/5"	INF
INF	47' 3 5/7"	INF	33' 5 2/3"	INF	20' 1"	INF

**Supreme Prime 35mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	11.31		16.0		22.63	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 1/5"	1' 2"	0' 12"	1' 2 2/5"	0' 11 2/5"	1' 3"
1' 2"	1' 1"	1' 3 2/5"	1' 2/3"	1' 3 2/3"	1' 1/5"	1' 4 1/2"
1' 3"	1' 2"	1' 4 3/5"	1' 1 1/2"	1' 4 8/9"	1' 1"	1' 5 8/9"
1' 4"	1' 2 2/3"	1' 5 4/5"	1' 2 1/3"	1' 6 1/5"	1' 1 3/5"	1' 7 1/3"
1' 5"	1' 3 3/5"	1' 7 1/9"	1' 3"	1' 7 1/2"	1' 2 2/5"	1' 8 4/5"
1' 6"	1' 4 2/5"	1' 8 2/5"	1' 3 4/5"	1' 8 8/9"	1' 3"	1' 10 1/3"
1' 7"	1' 5 1/5"	1' 9 2/3"	1' 4 3/5"	1' 10 1/3"	1' 3 4/5"	2' 0"
1' 8"	1' 6"	1' 11"	1' 5 1/3"	1' 11 2/3"	1' 4 2/5"	2' 1 3/5"
1' 9"	1' 6 4/5"	2' 1/3"	1' 6"	2' 1 1/9"	1' 5 1/9"	2' 3 1/3"
1' 10"	1' 7 3/5"	2' 1 2/3"	1' 6 4/5"	2' 2 3/5"	1' 5 2/3"	2' 5"
1' 11"	1' 8 2/5"	2' 3 1/9"	1' 7 1/2"	2' 4"	1' 6 1/3"	2' 6 4/5"
2' 0"	1' 9 1/5"	2' 4 3/5"	1' 8 1/5"	2' 5 3/5"	1' 7"	2' 8 5/7"
2' 3"	1' 11 1/2"	2' 8 8/9"	1' 10 1/3"	2' 10 2/7"	1' 8 4/5"	3' 2 3/5"
2' 6"	2' 1 2/3"	3' 1 3/5"	2' 1/5"	3' 3 2/7"	1' 10 1/2"	3' 9 1/5"
2' 9"	2' 3 4/5"	3' 6 2/5"	2' 2 1/9"	3' 8 5/7"	2' 1/9"	4' 4 2/5"
3' 0"	2' 5 8/9"	3' 11 3/5"	2' 4"	4' 2 1/2"	2' 1 3/5"	5' 3/5"
3' 3"	2' 8"	4' 5 1/9"	2' 5 2/3"	4' 8 5/7"	2' 3 1/9"	5' 10"
3' 6"	2' 9 8/9"	4' 10 4/5"	2' 7 2/5"	5' 3 2/5"	2' 4 2/5"	6' 8 2/7"
3' 9"	2' 11 4/5"	5' 5"	2' 9"	5' 10 1/2"	2' 5 4/5"	7' 8 1/5"
4' 0"	3' 1 5/7"	5' 11 2/5"	2' 10 3/5"	6' 6 1/5"	2' 7"	8' 10"
4' 6"	3' 5 2/7"	7' 1 4/5"	3' 1 3/5"	7' 12"	2' 9 2/5"	11' 9 1/5"
5' 0"	3' 8 5/7"	8' 6"	3' 4 2/5"	9' 8 4/5"	2' 11 3/5"	16' 0"
6' 0"	4' 2 8/9"	11' 11"	3' 9 2/5"	14' 5 4/5"	3' 3 2/5"	35' 0"
8' 0"	5' 1 5/7"	23' 11"	4' 5 4/5"	37' 1 2/3"	3' 9 1/2"	INF
10' 0"	5' 10 4/5"	60' 5 1/5"	5' 1/2"	618' 8 1/3"	4' 2 1/5"	INF
12' 0"	6' 6 2/5"	INF	5' 6"	INF	4' 5 8/9"	INF
20' 0"	8' 4"	INF	6' 8 3/5"	INF	5' 3 1/5"	INF
40' 0"	10' 6"	INF	8' 3/5"	INF	6' 3/5"	INF
INF	14' 2 1/2"	INF	10' 3/5"	INF	7' 1 1/5"	INF

**Supreme Prime 50mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	1.52		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 6"	1' 5 8/9"	1' 6 1/9"	1' 5 4/5"	1' 6 1/9"	1' 5 4/5"	1' 6 1/5"
1' 7"	1' 6 8/9"	1' 7 1/9"	1' 6 8/9"	1' 7 1/5"	1' 6 4/5"	1' 7 1/3"
1' 8"	1' 7 8/9"	1' 8 1/9"	1' 7 4/5"	1' 8 1/5"	1' 7 2/3"	1' 8 1/3"
1' 9"	1' 8 4/5"	1' 9 1/9"	1' 8 4/5"	1' 9 1/5"	1' 8 2/3"	1' 9 1/3"
1' 10"	1' 9 4/5"	1' 10 1/5"	1' 9 4/5"	1' 10 1/5"	1' 9 2/3"	1' 10 1/3"
1' 11"	1' 10 4/5"	1' 11 1/5"	1' 10 2/3"	1' 11 1/5"	1' 10 3/5"	1' 11 1/3"
2' 0"	1' 11 4/5"	2' 1/5"	1' 11 2/3"	2' 1/3"	1' 11 3/5"	2' 2/5"
2' 3"	2' 2 2/3"	2' 3 1/3"	2' 2 2/3"	2' 3 2/5"	2' 2 1/2"	2' 3 1/2"
2' 6"	2' 5 2/3"	2' 6 1/3"	2' 5 3/5"	2' 6 2/5"	2' 5 2/5"	2' 6 3/5"
2' 9"	2' 8 3/5"	2' 9 2/5"	2' 8 1/2"	2' 9 1/2"	2' 8 2/7"	2' 9 5/7"
3' 0"	2' 11 1/2"	3' 1/2"	2' 11 2/5"	3' 3/5"	2' 11 1/9"	3' 8/9"
3' 3"	3' 2 1/2"	3' 3 3/5"	3' 2 2/7"	3' 3 4/5"	3' 2"	3' 4 1/9"
3' 6"	3' 5 2/5"	3' 6 5/7"	3' 5 1/5"	3' 6 8/9"	3' 4 4/5"	3' 7 2/7"
3' 9"	3' 8 2/7"	3' 9 4/5"	3' 8"	3' 10"	3' 7 3/5"	3' 10 2/5"
4' 0"	3' 11 1/5"	4' 8/9"	3' 10 8/9"	4' 1 1/9"	3' 10 1/2"	4' 1 3/5"
4' 3"	4' 2"	4' 4"	4' 1 5/7"	4' 4 2/7"	4' 1 1/5"	4' 4 4/5"
4' 6"	4' 5"	4' 7 1/9"	4' 4 3/5"	4' 7 1/2"	4' 4 1/9"	4' 8 1/9"
4' 9"	4' 7 4/5"	4' 10 1/5"	4' 7 1/2"	4' 10 3/5"	4' 6 4/5"	4' 11 2/5"
5' 0"	4' 10 5/7"	5' 1 2/5"	4' 10 2/7"	5' 1 4/5"	4' 9 3/5"	5' 2 3/5"
5' 6"	5' 4 2/5"	5' 7 5/7"	5' 3 8/9"	5' 8 1/5"	5' 3 1/9"	5' 9 1/5"
6' 0"	5' 10"	6' 2"	5' 9 1/2"	6' 2 5/7"	5' 8 3/5"	6' 3 4/5"
6' 6"	6' 3 4/5"	6' 8 2/5"	6' 3"	6' 9"	6' 2"	6' 10 1/2"
7' 0"	6' 9 2/5"	7' 2 4/5"	6' 8 5/7"	7' 3 5/7"	6' 7 2/7"	7' 5 2/7"
8' 0"	7' 8 3/5"	8' 3 3/5"	7' 7 3/5"	8' 4 4/5"	7' 6"	8' 7"
9' 0"	8' 7 5/7"	9' 4 3/5"	8' 6 1/2"	9' 6"	8' 4 2/7"	9' 9"
10' 0"	9' 6 4/5"	10' 5 5/7"	9' 5 1/5"	10' 7 5/7"	9' 2 3/5"	10' 11"
12' 0"	11' 4 1/2"	12' 8 2/5"	11' 2 1/3"	12' 11 1/5"	10' 10 2/3"	13' 4 2/5"
15' 0"	14' 2/5"	16' 1 1/3"	13' 9"	16' 6"	13' 3 3/5"	17' 2 2/5"
20' 0"	18' 3 4/5"	22' 1/3"	17' 10"	22' 9"	17' 1"	24' 1 1/2"
30' 0"	26' 4 1/3"	34' 9 2/3"	25' 4 3/5"	36' 8"	23' 10 1/3"	40' 4 4/5"
50' 0"	40' 7 1/2"	65' 1/9"	38' 4 1/5"	71' 9 4/5"	34' 11 3/5"	87' 8 2/5"
INF	215' 3 1/2"	INF	163' 8 3/5"	INF	115' 9 1/5"	INF

**Supreme Prime 50mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 6"	1' 5 2/3"	1' 6 1/3"	1' 5 3/5"	1' 6 2/5"	1' 5 2/5"	1' 6 3/5"
1' 7"	1' 6 2/3"	1' 7 2/5"	1' 6 3/5"	1' 7 1/2"	1' 6 2/5"	1' 7 2/3"
1' 8"	1' 7 3/5"	1' 8 2/5"	1' 7 1/2"	1' 8 1/2"	1' 7 1/3"	1' 8 4/5"
1' 9"	1' 8 3/5"	1' 9 2/5"	1' 8 2/5"	1' 9 3/5"	1' 8 1/5"	1' 9 4/5"
1' 10"	1' 9 3/5"	1' 10 1/2"	1' 9 2/5"	1' 10 2/3"	1' 9 1/9"	1' 10 8/9"
1' 11"	1' 10 1/2"	1' 11 1/2"	1' 10 1/3"	1' 11 2/3"	1' 10 1/9"	2' 0"
2' 0"	1' 11 1/2"	2' 3/5"	1' 11 1/3"	2' 4/5"	1' 11"	2' 1 1/9"
2' 3"	2' 2 1/3"	2' 3 2/3"	2' 2 1/9"	2' 4"	2' 1 2/3"	2' 4 1/2"
2' 6"	2' 5 1/5"	2' 6 8/9"	2' 4 4/5"	2' 7 1/3"	2' 4 2/5"	2' 7 4/5"
2' 9"	2' 8"	2' 10 1/9"	2' 7 3/5"	2' 10 1/2"	2' 7"	2' 11 1/5"
3' 0"	2' 10 4/5"	3' 1 2/7"	2' 10 2/7"	3' 1 4/5"	2' 9 5/7"	3' 2 5/7"
3' 3"	3' 1 3/5"	3' 4 1/2"	3' 1"	3' 5 1/5"	3' 2/7"	3' 6 1/5"
3' 6"	3' 4 2/5"	3' 7 4/5"	3' 3 5/7"	3' 8 3/5"	3' 2 4/5"	3' 9 5/7"
3' 9"	3' 7 1/9"	3' 11 1/9"	3' 6 2/5"	4' 0"	3' 5 2/5"	4' 1 2/7"
4' 0"	3' 9 4/5"	4' 2 2/7"	3' 9"	4' 3 2/5"	3' 7 8/9"	4' 4 8/9"
4' 3"	4' 3/5"	4' 5 5/7"	3' 11 3/5"	4' 6 4/5"	3' 10 2/5"	4' 8 3/5"
4' 6"	4' 3 2/7"	4' 9"	4' 2 2/7"	4' 10 2/5"	4' 4/5"	5' 2/5"
4' 9"	4' 6"	5' 2/5"	4' 4 4/5"	5' 1 8/9"	4' 3 2/7"	5' 4 1/5"
5' 0"	4' 8 5/7"	5' 3 4/5"	4' 7 2/5"	5' 5 1/2"	4' 5 5/7"	5' 8"
5' 6"	5' 2"	5' 10 3/5"	5' 2/5"	6' 5/7"	4' 10 2/5"	6' 4"
6' 0"	5' 7 1/5"	6' 5 1/2"	5' 5 2/5"	6' 8"	5' 3"	7' 0"
6' 6"	6' 2/5"	7' 1/2"	5' 10 2/7"	7' 3 3/5"	5' 7 3/5"	7' 8 1/5"
7' 0"	6' 5 3/5"	7' 7 5/7"	6' 3 1/5"	7' 11 2/7"	6' 0"	8' 4 4/5"
8' 0"	7' 3 3/5"	8' 10"	7' 3/5"	9' 3"	6' 8 3/5"	9' 10 5/7"
9' 0"	8' 1 1/2"	10' 1"	7' 9 5/7"	10' 7 2/5"	7' 5"	11' 5 3/5"
10' 0"	8' 11 1/5"	11' 4 2/5"	8' 6 3/5"	12' 1/2"	8' 4/5"	13' 2"
12' 0"	10' 6"	14' 1/3"	9' 11 3/5"	15' 1"	9' 3 4/5"	16' 10 1/2"
15' 0"	12' 8 2/5"	18' 3 2/3"	11' 11 1/3"	20' 2"	11' 1/5"	23' 6"
20' 0"	16' 1 1/3"	26' 4 3/5"	14' 10 4/5"	30' 4 8/9"	13' 5 4/5"	38' 8 4/5"
30' 0"	22' 0"	47' 1 4/5"	19' 9 2/3"	61' 9 4/5"	17' 4 2/5"	110' 1 1/5"
50' 0"	31' 1 1/5"	127' 5"	26' 10 3/5"	356' 6 1/5"	22' 6 8/9"	INF
INF	81' 11 2/7"	INF	57' 11 1/9"	INF	40' 11 8/9"	INF

**Supreme Prime 50mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	11.31		16.0		22.63	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 6"	1' 5 1/5"	1' 6 8/9"	1' 4 8/9"	1' 7 1/5"	1' 4 1/2"	1' 7 4/5"
1' 7"	1' 6 1/9"	1' 8"	1' 5 4/5"	1' 8 2/5"	1' 5 1/3"	1' 9 1/9"
1' 8"	1' 7"	1' 9 1/9"	1' 6 3/5"	1' 9 3/5"	1' 6 1/9"	1' 10 1/3"
1' 9"	1' 7 8/9"	1' 10 1/5"	1' 7 1/2"	1' 10 2/3"	1' 6 8/9"	1' 11 3/5"
1' 10"	1' 8 4/5"	1' 11 2/5"	1' 8 2/5"	2' 0"	1' 7 2/3"	2' 8/9"
1' 11"	1' 9 2/3"	2' 1/2"	1' 9 1/5"	2' 1 1/9"	1' 8 1/2"	2' 2 1/5"
2' 0"	1' 10 3/5"	2' 1 3/5"	1' 10"	2' 2 2/5"	1' 9 1/3"	2' 3 1/2"
2' 3"	2' 1 1/5"	2' 5 1/9"	2' 1/2"	2' 6 1/9"	1' 11 3/5"	2' 7 1/2"
2' 6"	2' 3 4/5"	2' 8 3/5"	2' 2 8/9"	2' 9 8/9"	2' 1 4/5"	2' 11 4/5"
2' 9"	2' 6 1/3"	3' 1/5"	2' 5 1/3"	3' 1 4/5"	2' 4"	3' 4 1/5"
3' 0"	2' 8 4/5"	3' 3 8/9"	2' 7 3/5"	3' 5 4/5"	2' 6 1/9"	3' 8 5/7"
3' 3"	2' 11 2/7"	3' 7 5/7"	2' 9 8/9"	3' 9 8/9"	2' 8 1/5"	4' 1 3/5"
3' 6"	3' 1 5/7"	3' 11 1/2"	3' 1/9"	4' 2 1/5"	2' 10 1/9"	4' 6 3/5"
3' 9"	3' 4"	4' 3 2/7"	3' 2 2/7"	4' 6 1/2"	3' 1/9"	4' 11 4/5"
4' 0"	3' 6 2/5"	4' 7 2/7"	3' 4 2/5"	4' 11"	3' 2"	5' 5 2/7"
4' 3"	3' 8 5/7"	4' 11 2/7"	3' 6 1/2"	5' 3 5/7"	3' 3 4/5"	5' 11"
4' 6"	3' 11"	5' 3 1/2"	3' 8 3/5"	5' 8 1/2"	3' 5 3/5"	6' 5"
4' 9"	4' 1 1/5"	5' 7 5/7"	3' 10 3/5"	6' 1 2/5"	3' 7 2/7"	6' 11 2/5"
5' 0"	4' 3 2/5"	6' 0"	4' 1/2"	6' 6 1/2"	3' 9"	7' 6"
5' 6"	4' 7 5/7"	6' 9"	4' 4 2/5"	7' 5 1/5"	4' 1/5"	8' 8 2/5"
6' 0"	4' 11 8/9"	7' 6"	4' 8 1/9"	8' 4 5/7"	4' 3 2/7"	10' 1/2"
6' 6"	5' 4"	8' 3 4/5"	4' 11 3/5"	9' 5"	4' 6 2/7"	11' 6 1/2"
7' 0"	5' 8"	9' 2"	5' 3"	10' 6"	4' 9 1/9"	13' 3"
8' 0"	6' 3 3/5"	10' 11 1/2"	5' 9 2/5"	12' 11 1/3"	5' 2 2/7"	17' 4 4/5"
9' 0"	6' 10 4/5"	12' 11 1/3"	6' 3 1/2"	15' 9 4/5"	5' 7"	23' 1/2"
10' 0"	7' 5 3/5"	15' 1 3/5"	6' 9"	19' 2 3/5"	5' 11 1/2"	31' 1 1/5"
12' 0"	8' 6 2/7"	20' 3 1/3"	7' 7 2/7"	28' 4 2/3"	6' 7 2/7"	65' 4 4/5"
15' 0"	9' 11"	30' 8 2/5"	8' 8 2/5"	54' 3"	7' 5"	INF
20' 0"	11' 10 1/2"	63' 3"	10' 2"	612' 9"	8' 5 2/7"	INF
30' 0"	14' 9 1/2"	INF	12' 2 3/5"	INF	9' 9 5/7"	INF
50' 0"	18' 4 4/5"	INF	14' 7"	INF	11' 3 1/5"	INF
INF	29' 0"	INF	20' 6"	INF	14' 6"	INF

**Supreme Prime 85mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	1.52		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
2' 9"	2' 8 8/9"	2' 9 1/9"	2' 8 4/5"	2' 9 1/5"	2' 8 4/5"	2' 9 1/5"
3' 0"	2' 11 4/5"	3' 1/9"	2' 11 4/5"	3' 1/5"	2' 11 5/7"	3' 2/7"
3' 3"	3' 2 4/5"	3' 3 1/5"	3' 2 4/5"	3' 3 2/7"	3' 2 5/7"	3' 3 2/5"
3' 6"	3' 5 4/5"	3' 6 1/5"	3' 5 5/7"	3' 6 2/7"	3' 5 3/5"	3' 6 2/5"
3' 9"	3' 8 4/5"	3' 9 2/7"	3' 8 5/7"	3' 9 2/7"	3' 8 1/2"	3' 9 1/2"
4' 0"	3' 11 5/7"	4' 2/7"	3' 11 3/5"	4' 2/5"	3' 11 1/2"	4' 1/2"
4' 3"	4' 2 5/7"	4' 3 2/7"	4' 2 3/5"	4' 3 2/5"	4' 2 2/5"	4' 3 3/5"
4' 6"	4' 5 5/7"	4' 6 2/5"	4' 5 1/2"	4' 6 1/2"	4' 5 2/7"	4' 6 5/7"
4' 9"	4' 8 3/5"	4' 9 2/5"	4' 8 1/2"	4' 9 3/5"	4' 8 2/7"	4' 9 4/5"
5' 0"	4' 11 1/2"	5' 1/2"	4' 11 2/5"	5' 3/5"	4' 11 1/5"	5' 8/9"
5' 3"	5' 2 1/2"	5' 3 1/2"	5' 2 2/7"	5' 3 5/7"	5' 2 1/9"	5' 3 8/9"
5' 6"	5' 5 2/5"	5' 6 1/2"	5' 5 2/7"	5' 6 5/7"	5' 5"	5' 7"
5' 9"	5' 8 2/5"	5' 9 3/5"	5' 8 1/5"	5' 9 4/5"	5' 8"	5' 10 1/5"
6' 0"	5' 11 2/5"	6' 5/7"	5' 11"	6' 1"	5' 10 4/5"	6' 1 2/7"
6' 6"	6' 5 1/5"	6' 6 4/5"	6' 5"	6' 7"	6' 4 3/5"	6' 7 1/2"
7' 0"	6' 11"	7' 1"	6' 10 4/5"	7' 1 1/5"	6' 10 2/5"	7' 1 5/7"
7' 6"	7' 5"	7' 7"	7' 4 3/5"	7' 7 2/5"	7' 4"	7' 8"
8' 0"	7' 10 4/5"	8' 1 1/5"	7' 10 2/5"	8' 1 3/5"	7' 9 4/5"	8' 2 1/5"
8' 6"	8' 4 5/7"	8' 7 2/5"	8' 4 2/7"	8' 7 4/5"	8' 3 3/5"	8' 8 3/5"
9' 0"	8' 10 1/2"	9' 1 1/2"	8' 10"	9' 2"	8' 9 2/7"	9' 3"
10' 0"	9' 10 1/5"	10' 2"	9' 9 3/5"	10' 2 1/2"	9' 8 3/5"	10' 3 3/5"
12' 0"	11' 9 2/5"	12' 2 4/5"	11' 8 1/2"	12' 3 2/3"	11' 7"	12' 5 1/5"
12' 0"	11' 9 2/5"	12' 2 4/5"	11' 8 1/2"	12' 3 2/3"	11' 7"	12' 5 1/5"
14' 0"	13' 8 2/5"	14' 3 4/5"	13' 7 1/3"	14' 5"	13' 5 2/5"	14' 7 1/5"
16' 0"	15' 7 1/3"	16' 5"	15' 5 4/5"	16' 6 3/5"	15' 3 2/5"	16' 9 1/2"
18' 0"	17' 6"	18' 6 1/3"	17' 4 1/5"	18' 8 2/5"	17' 1"	19' 0"
20' 0"	19' 4 3/5"	20' 7 4/5"	19' 2 2/5"	20' 10 2/5"	18' 10 2/3"	21' 3"
25' 0"	24' 3/5"	26' 2/5"	23' 9 1/9"	26' 4 1/2"	23' 3 2/5"	26' 11 8/9"
30' 0"	28' 7 3/5"	31' 6"	28' 2 4/5"	32' 1/9"	27' 6 2/3"	32' 11"
40' 0"	37' 7 1/3"	42' 8 3/5"	36' 10 8/9"	43' 7 8/9"	35' 9 1/9"	45' 4 3/5"
50' 0"	46' 3 5/7"	54' 4"	45' 3"	55' 10 2/7"	43' 6 1/2"	58' 8 3/5"
100' 0"	86' 2 3/5"	119' 2/7"	82' 7 1/2"	126' 7 5/7"	77' 4/5"	142' 4 1/2"
INF	619' 1 8/9"	INF	471' 4 4/5"	INF	333' 8 2/5"	INF

**Supreme Prime 85mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
2' 9"	2' 8 5/7"	2' 9 2/7"	2' 8 1/2"	2' 9 1/2"	2' 8 2/7"	2' 9 5/7"
3' 0"	2' 11 3/5"	3' 2/5"	2' 11 2/5"	3' 3/5"	2' 11 1/5"	3' 4/5"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 2/7"	3' 3 5/7"	3' 2 1/9"	3' 4"
3' 6"	3' 5 2/5"	3' 6 3/5"	3' 5 1/5"	3' 6 4/5"	3' 4 8/9"	3' 7 1/5"
3' 9"	3' 8 2/5"	3' 9 5/7"	3' 8 1/9"	3' 10"	3' 7 5/7"	3' 10 2/5"
4' 0"	3' 11 2/7"	4' 4/5"	3' 10 8/9"	4' 1 1/9"	3' 10 1/2"	4' 1 1/2"
4' 3"	4' 2 1/9"	4' 3 8/9"	4' 1 4/5"	4' 4 1/5"	4' 1 2/7"	4' 4 4/5"
4' 6"	4' 5 1/9"	4' 7"	4' 4 5/7"	4' 7 2/5"	4' 4 1/5"	4' 8"
4' 9"	4' 8"	4' 10 1/9"	4' 7 1/2"	4' 10 3/5"	4' 6 8/9"	4' 11 1/5"
5' 0"	4' 10 4/5"	5' 1 1/5"	4' 10 2/5"	5' 1 5/7"	4' 9 5/7"	5' 2 1/2"
5' 3"	5' 1 5/7"	5' 4 2/7"	5' 1 1/5"	5' 5"	5' 1/2"	5' 5 5/7"
5' 6"	5' 4 3/5"	5' 7 1/2"	5' 4"	5' 8"	5' 3 1/5"	5' 9"
5' 9"	5' 7 1/2"	5' 10 3/5"	5' 6 4/5"	5' 11 2/7"	5' 6"	6' 2/5"
6' 0"	5' 10 2/7"	6' 1 4/5"	5' 9 3/5"	6' 2 3/5"	5' 8 5/7"	6' 3 5/7"
6' 6"	6' 4"	6' 8"	6' 3 1/5"	6' 9"	6' 2"	6' 10 2/7"
7' 0"	6' 9 5/7"	7' 2 1/2"	6' 8 4/5"	7' 3 1/2"	6' 7 1/2"	7' 5"
7' 6"	7' 3 2/7"	7' 8 4/5"	7' 2 2/7"	7' 10"	7' 4/5"	7' 11 4/5"
8' 0"	7' 9"	8' 3 1/5"	7' 7 4/5"	8' 4 3/5"	7' 6"	8' 6 5/7"
8' 6"	8' 2 3/5"	8' 9 5/7"	8' 1 1/5"	8' 11 2/7"	7' 11 2/5"	9' 1 3/5"
9' 0"	8' 8 1/5"	9' 4"	8' 6 3/5"	9' 6"	8' 4 3/5"	9' 8 3/5"
10' 0"	9' 7 2/7"	10' 5"	9' 5 2/5"	10' 7 2/5"	9' 3"	10' 10 2/3"
12' 0"	11' 5 1/5"	12' 7 1/2"	11' 2 3/5"	12' 11"	10' 11"	13' 3 4/5"
12' 0"	11' 5 1/5"	12' 7 1/2"	11' 2 3/5"	12' 11"	10' 11"	13' 3 4/5"
14' 0"	13' 2 4/5"	14' 10 1/3"	12' 11 1/3"	15' 3"	12' 6 3/5"	15' 10"
16' 0"	15' 0"	17' 1 3/5"	14' 7 1/2"	17' 8"	14' 1 1/2"	18' 5 2/5"
18' 0"	16' 9"	19' 5 2/5"	16' 3 1/3"	20' 1 1/2"	15' 8"	21' 2"
20' 0"	18' 5 3/5"	21' 9 4/5"	17' 10 2/3"	22' 8"	17' 1 4/5"	23' 11 8/9"
25' 0"	22' 7 2/3"	27' 10 8/9"	21' 9 2/5"	29' 3 8/9"	20' 8 1/5"	31' 7 1/9"
30' 0"	26' 7 8/9"	34' 3 3/5"	25' 5 4/5"	36' 5 3/5"	23' 11 4/5"	40' 1/2"
40' 0"	34' 3 1/9"	48' 3/5"	32' 4"	52' 5 1/5"	29' 11 1/2"	60' 2"
50' 0"	41' 4"	63' 3 2/7"	38' 6 2/3"	71' 1 2/7"	35' 2 2/3"	86' 1 3/5"
100' 0"	70' 4 5/7"	172' 7 2/5"	62' 8 1/5"	247' 1"	54' 3 5/7"	630' 5 2/5"
INF	236' 4 2/5"	INF	167' 2 1/5"	INF	118' 4 1/5"	INF

**Supreme Prime 85mm
Circle of Confusion 0.025mm**

Engraving	T-Stop					
	11.31		16.0		22.63	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
2' 9"	2' 8"	2' 10"	2' 7 2/3"	2' 10 2/5"	2' 7 1/5"	2' 11 1/9"
3' 0"	2' 10 8/9"	3' 1 1/5"	2' 10 2/5"	3' 1 5/7"	2' 9 4/5"	3' 2 1/2"
3' 3"	3' 1 5/7"	3' 4 2/5"	3' 1 1/5"	3' 5 1/9"	3' 2/5"	3' 6"
3' 6"	3' 4 1/2"	3' 7 5/7"	3' 3 4/5"	3' 8 2/5"	3' 3"	3' 9 1/2"
3' 9"	3' 7 1/5"	3' 10 8/9"	3' 6 1/2"	3' 11 4/5"	3' 5 3/5"	4' 1 1/9"
4' 0"	3' 10"	4' 2 1/5"	3' 9 1/5"	4' 3 1/5"	3' 8 1/9"	4' 4 5/7"
4' 3"	4' 5/7"	4' 5 1/2"	3' 11 4/5"	4' 6 3/5"	3' 10 3/5"	4' 8 2/7"
4' 6"	4' 3 2/5"	4' 8 8/9"	4' 2 2/5"	4' 10 1/5"	4' 1 1/9"	5' 1/9"
4' 9"	4' 6 1/9"	5' 1/5"	4' 5"	5' 1 5/7"	4' 3 1/2"	5' 3 4/5"
5' 0"	4' 8 4/5"	5' 3 3/5"	4' 7 3/5"	5' 5 1/5"	4' 5 8/9"	5' 7 3/5"
5' 3"	4' 11 1/2"	5' 7"	4' 10 1/9"	5' 8 4/5"	4' 8 2/7"	5' 11 1/2"
5' 6"	5' 2 1/9"	5' 10 2/5"	5' 3/5"	6' 2/5"	4' 10 5/7"	6' 3 2/5"
5' 9"	5' 4 4/5"	6' 1 4/5"	5' 3 1/5"	6' 4"	5' 1"	6' 7 2/5"
6' 0"	5' 7 2/5"	6' 5 2/7"	5' 5 5/7"	6' 7 5/7"	5' 3 2/5"	6' 11 2/5"
6' 6"	6' 3/5"	7' 1/5"	5' 10 3/5"	7' 3"	5' 8"	7' 7 3/5"
7' 0"	6' 5 4/5"	7' 7 2/7"	6' 3 1/2"	7' 10 4/5"	6' 2/5"	8' 4"
7' 6"	6' 11"	8' 2 1/2"	6' 8 1/5"	8' 6 1/2"	6' 4 4/5"	9' 5/7"
8' 0"	7' 4"	8' 9 5/7"	7' 1"	9' 2 2/5"	6' 9"	9' 9 5/7"
8' 6"	7' 9"	9' 5"	7' 5 3/5"	9' 10 2/5"	7' 1 2/7"	10' 7"
9' 0"	8' 1 4/5"	10' 1/2"	7' 10"	10' 6 3/5"	7' 5 2/5"	11' 4 2/5"
10' 0"	8' 11 1/2"	11' 3 2/3"	8' 7"	11' 11 1/2"	8' 1 2/5"	13' 1/3"
12' 0"	10' 6 2/7"	13' 11 2/5"	10' 1/5"	14' 11 1/2"	9' 4 1/2"	16' 8"
12' 0"	10' 6 2/7"	13' 11 2/5"	10' 1/5"	14' 11 1/2"	9' 4 1/2"	16' 8"
14' 0"	12' 2/5"	16' 9"	11' 4 2/5"	18' 2 3/5"	10' 6 3/5"	20' 9 4/5"
16' 0"	13' 5 2/3"	19' 8 1/3"	12' 7 2/3"	21' 9 1/3"	11' 7 3/5"	25' 7 1/3"
18' 0"	14' 10 1/3"	22' 9 8/9"	13' 10 1/3"	25' 8 1/9"	12' 7 4/5"	31' 2 1/3"
20' 0"	16' 2 1/3"	26' 1 4/5"	15' 0"	29' 11 2/3"	13' 7 1/5"	37' 9 2/5"
25' 0"	19' 3 2/3"	35' 5 1/2"	17' 7 2/3"	42' 10 5/7"	15' 8 2/3"	60' 11 4/5"
30' 0"	22' 1 4/5"	46' 5 5/7"	19' 11 4/5"	60' 2 1/5"	17' 6 3/5"	103' 2 3/5"
40' 0"	27' 1 2/3"	76' 1/5"	23' 11 2/5"	121' 3 4/5"	20' 6 2/5"	769' 8 3/5"
50' 0"	31' 4 3/5"	122' 10 1/2"	27' 2 1/3"	310' 7 2/5"	22' 10 2/5"	INF
100' 0"	45' 8 1/9"	INF	37' 3 1/3"	INF	29' 7"	INF
INF	83' 9"	INF	59' 2 3/5"	INF	41' 10 1/2"	INF

**Supreme Prime 25mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	1.5		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
0' 10"	0' 9 4/5"	0' 10 1/5"	0' 9 4/5"	0' 10 1/5"	0' 9 2/3"	0' 10 1/3"
0' 11"	0' 10 4/5"	0' 11 1/5"	0' 10 2/3"	0' 11 1/3"	0' 10 3/5"	0' 11 2/5"
1' 0"	0' 11 4/5"	1' 1/3"	0' 11 2/3"	1' 1/3"	0' 11 3/5"	1' 1/2"
1' 1"	1' 2/3"	1' 1 1/3"	1' 3/5"	1' 1 2/5"	1' 1/2"	1' 1 3/5"
1' 2"	1' 1 2/3"	1' 2 2/5"	1' 1 3/5"	1' 2 1/2"	1' 1 2/5"	1' 2 2/3"
1' 3"	1' 2 3/5"	1' 3 2/5"	1' 2 1/2"	1' 3 1/2"	1' 2 1/3"	1' 3 4/5"
1' 4"	1' 3 3/5"	1' 4 2/5"	1' 3 2/5"	1' 4 3/5"	1' 3 1/5"	1' 4 8/9"
1' 5"	1' 4 1/2"	1' 5 1/2"	1' 4 2/5"	1' 5 2/3"	1' 4 1/9"	1' 6"
1' 6"	1' 5 2/5"	1' 6 3/5"	1' 5 1/3"	1' 6 4/5"	1' 5"	1' 7 1/9"
1' 7"	1' 6 2/5"	1' 7 2/3"	1' 6 1/5"	1' 7 8/9"	1' 5 8/9"	1' 8 1/3"
1' 8"	1' 7 1/3"	1' 8 2/3"	1' 7 1/9"	1' 9"	1' 6 4/5"	1' 9 2/5"
1' 9"	1' 8 1/5"	1' 9 4/5"	1' 8"	1' 10 1/9"	1' 7 3/5"	1' 10 1/2"
1' 10"	1' 9 1/5"	1' 10 8/9"	1' 8 8/9"	1' 11 1/5"	1' 8 1/2"	1' 11 2/3"
2' 0"	1' 11"	2' 1 1/9"	1' 10 2/3"	2' 1 2/5"	1' 10 1/5"	2' 2 1/9"
2' 3"	2' 1 4/5"	2' 4 2/5"	2' 1 2/5"	2' 4 4/5"	2' 4/5"	2' 5 2/3"
2' 6"	2' 4 1/2"	2' 7 2/3"	2' 4"	2' 8 2/7"	2' 3 1/3"	2' 9 2/7"
2' 9"	2' 7 1/9"	2' 11 1/9"	2' 6 3/5"	2' 11 4/5"	2' 5 2/3"	3' 1 1/9"
3' 0"	2' 9 4/5"	3' 2 1/2"	2' 9 1/5"	3' 3 2/7"	2' 8 1/9"	3' 4 8/9"
3' 6"	3' 3"	3' 9 1/2"	3' 2 1/5"	3' 10 5/7"	3' 4/5"	4' 8/9"
4' 0"	3' 8 1/9"	4' 4 3/5"	3' 7 1/9"	4' 6 1/5"	3' 5 2/7"	4' 9 2/7"
5' 0"	4' 6 1/9"	5' 7 2/5"	4' 4 1/2"	5' 10"	4' 1 4/5"	6' 3 2/7"
7' 0"	6' 4/5"	8' 3 2/7"	5' 10"	8' 9 2/7"	5' 5 2/7"	9' 9 5/7"
10' 0"	8' 2 2/7"	12' 10"	7' 9"	14' 1"	7' 1"	16' 11 3/5"
20' 0"	13' 10 1/3"	35' 10 4/5"	12' 7 3/5"	47' 11 2/7"	10' 11 1/2"	114' 1"
INF	44' 11 2/7"	INF	34' 1 8/9"	INF	24' 1 2/3"	INF

**Supreme Prime 25mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
0' 10"	0' 9 3/5"	0' 10 1/2"	0' 9 2/5"	0' 10 2/3"	0' 9 1/5"	0' 11"
0' 11"	0' 10 1/2"	0' 11 1/2"	0' 10 1/3"	0' 11 4/5"	0' 10"	1' 1/5"
1' 0"	0' 11 2/5"	1' 2/3"	0' 11 1/5"	1' 1"	0' 10 4/5"	1' 1 1/2"
1' 1"	1' 1/3"	1' 1 4/5"	1' 0"	1' 2 1/5"	0' 11 3/5"	1' 2 2/3"
1' 2"	1' 1 1/5"	1' 3"	1' 1"	1' 3 2/5"	1' 2/5"	1' 4 1/9"
1' 3"	1' 2"	1' 4 1/9"	1' 1 2/3"	1' 4 3/5"	1' 1 1/5"	1' 5 2/5"
1' 4"	1' 3"	1' 5 1/5"	1' 2 1/2"	1' 5 4/5"	1' 2"	1' 6 2/3"
1' 5"	1' 3 4/5"	1' 6 2/5"	1' 3 1/3"	1' 7 1/9"	1' 2 2/3"	1' 8 1/5"
1' 6"	1' 4 3/5"	1' 7 3/5"	1' 4 1/9"	1' 8 2/5"	1' 3 2/5"	1' 9 3/5"
1' 7"	1' 5 1/2"	1' 8 4/5"	1' 4 8/9"	1' 9 2/3"	1' 4 1/5"	1' 11 1/9"
1' 8"	1' 6 1/3"	1' 10"	1' 5 2/3"	1' 11"	1' 4 8/9"	2' 3/5"
1' 9"	1' 7 1/9"	1' 11 1/3"	1' 6 2/5"	2' 1/3"	1' 5 3/5"	2' 2 1/9"
1' 10"	1' 8"	2' 1/2"	1' 7 1/5"	2' 1 2/3"	1' 6 1/3"	2' 3 2/3"
2' 0"	1' 9 3/5"	2' 3 1/9"	1' 8 2/3"	2' 4 3/5"	1' 7 3/5"	2' 7"
2' 3"	2' 0"	2' 6 8/9"	1' 10 8/9"	2' 8 8/9"	1' 9 1/2"	3' 1/5"
2' 6"	2' 2 1/3"	2' 10 8/9"	2' 1"	3' 1 1/2"	1' 11 2/5"	3' 5 4/5"
2' 9"	2' 4 1/2"	3' 3 1/9"	2' 3"	3' 6 2/7"	2' 1 1/9"	4' 0"
3' 0"	2' 6 2/3"	3' 7 2/5"	2' 5"	3' 11 2/5"	2' 2 4/5"	4' 6 3/5"
3' 6"	2' 11"	4' 4 1/2"	2' 8 5/7"	4' 10 3/5"	2' 6"	5' 10"
4' 0"	3' 3"	5' 2 2/7"	3' 1/5"	5' 11"	2' 8 8/9"	7' 4 3/5"
5' 0"	3' 10 3/5"	7' 1/5"	3' 6 3/5"	8' 5 1/5"	3' 2 1/9"	11' 9 2/5"
7' 0"	4' 11 4/5"	11' 9 1/5"	4' 5 2/5"	16' 4 2/3"	3' 10 2/5"	36' 9 8/9"
10' 0"	6' 4"	23' 10"	5' 6"	55' 11 1/2"	4' 7 1/2"	INF
20' 0"	9' 2 4/5"	INF	7' 6 3/5"	INF	6' 0"	INF
INF	17' 1"	INF	12' 1"	INF	8' 6 1/2"	INF

**Supreme Prime 25mm
Circle of Confusion 0.030mm**

Engraving	11.31		T-Stop 16.0		22.63	
	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
0' 10"	0' 9"	0' 11 2/5"	0' 8 1/2"	1' 0"	0' 8"	1' 1 1/3"
0' 11"	0' 9 2/3"	1' 2/3"	0' 9 1/5"	1' 1 3/5"	0' 8 3/5"	1' 3 1/5"
1' 0"	0' 10 2/5"	1' 2 1/5"	0' 10"	1' 3 1/3"	0' 9 1/5"	1' 5 1/3"
1' 1"	0' 11"	1' 3 3/5"	0' 10 1/2"	1' 5"	0' 9 4/5"	1' 7 2/5"
1' 2"	0' 12"	1' 5 1/9"	0' 11 1/5"	1' 6 4/5"	0' 10 1/3"	1' 9 8/9"
1' 3"	1' 3/5"	1' 6 3/5"	0' 11 4/5"	1' 8 3/5"	0' 10 4/5"	2' 1/2"
1' 4"	1' 1 1/5"	1' 8 1/5"	1' 2/5"	1' 10 3/5"	0' 11 1/3"	2' 3 1/3"
1' 5"	1' 2"	1' 9 4/5"	1' 1"	2' 2/3"	0' 11 4/5"	2' 6 1/2"
1' 6"	1' 2 3/5"	1' 11 1/2"	1' 1 1/2"	2' 2 8/9"	1' 1/5"	2' 9 8/9"
1' 7"	1' 3 1/5"	2' 1 1/3"	1' 2"	2' 5 1/3"	1' 2/3"	3' 1 4/5"
1' 8"	1' 3 4/5"	2' 3 1/9"	1' 2 3/5"	2' 7 4/5"	1' 1"	3' 6 1/9"
1' 9"	1' 4 2/5"	2' 5"	1' 3"	2' 10 2/5"	1' 1 1/2"	3' 10 4/5"
1' 10"	1' 5 1/9"	2' 7"	1' 3 3/5"	3' 1 2/7"	1' 2"	4' 4 2/5"
2' 0"	1' 6 1/5"	2' 11 1/5"	1' 4 3/5"	3' 7 3/5"	1' 2 2/3"	5' 6"
2' 3"	1' 7 8/9"	3' 6 1/9"	1' 5 8/9"	4' 6 8/9"	1' 3 2/3"	7' 11 4/5"
2' 6"	1' 9 2/5"	4' 2"	1' 7 1/5"	5' 9"	1' 4 2/3"	12' 6 2/5"
2' 9"	1' 10 8/9"	4' 11 1/9"	1' 8 1/3"	7' 3 4/5"	1' 5 1/2"	23' 6 1/3"
3' 0"	2' 1/3"	5' 9 3/5"	1' 9 2/5"	9' 5 2/5"	1' 6 1/3"	87' 4"
3' 6"	2' 2 4/5"	8' 5/7"	1' 11 1/3"	17' 6 1/3"	1' 7 2/3"	INF
4' 0"	2' 5 1/9"	11' 4 2/5"	2' 1"	48' 2 1/5"	1' 8 8/9"	INF
5' 0"	2' 9 1/9"	26' 10 1/5"	2' 3 8/9"	INF	1' 10 4/5"	INF
7' 0"	3' 3 1/5"	INF	2' 8 1/9"	INF	2' 1 1/2"	INF
10' 0"	3' 9 2/5"	INF	3' 1/9"	INF	2' 4"	INF
20' 0"	4' 7 8/9"	INF	3' 6 2/5"	INF	2' 7 3/5"	INF
INF	6' 1/2"	INF	4' 3 2/7"	INF	3' 1/5"	INF

**Supreme Prime 29mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	1.5		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 4/5"	1' 1 1/5"	1' 2/3"	1' 1 1/3"	1' 3/5"	1' 1 2/5"
1' 2"	1' 1 4/5"	1' 2 1/3"	1' 1 2/3"	1' 2 2/5"	1' 1 3/5"	1' 2 1/2"
1' 3"	1' 2 2/3"	1' 3 1/3"	1' 2 3/5"	1' 3 2/5"	1' 2 1/2"	1' 3 3/5"
1' 4"	1' 3 2/3"	1' 4 1/3"	1' 3 3/5"	1' 4 2/5"	1' 3 2/5"	1' 4 3/5"
1' 5"	1' 4 3/5"	1' 5 2/5"	1' 4 1/2"	1' 5 1/2"	1' 4 1/3"	1' 5 2/3"
1' 6"	1' 5 3/5"	1' 6 2/5"	1' 5 1/2"	1' 6 3/5"	1' 5 1/5"	1' 6 4/5"
1' 7"	1' 6 3/5"	1' 7 1/2"	1' 6 2/5"	1' 7 2/3"	1' 6 1/5"	1' 7 8/9"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/3"	1' 8 2/3"	1' 7 1/9"	1' 9"
1' 9"	1' 8 2/5"	1' 9 3/5"	1' 8 1/3"	1' 9 4/5"	1' 8"	1' 10 1/9"
1' 10"	1' 9 2/5"	1' 10 2/3"	1' 9 1/5"	1' 10 8/9"	1' 8 8/9"	1' 11 1/3"
1' 11"	1' 10 1/3"	1' 11 2/3"	1' 10 1/9"	1' 11 8/9"	1' 9 4/5"	2' 2/5"
2' 0"	1' 11 1/3"	2' 4/5"	1' 11 1/9"	2' 1 1/9"	1' 10 2/3"	2' 1 1/2"
2' 3"	2' 2 1/9"	2' 4"	2' 1 4/5"	2' 4 1/3"	2' 1 1/3"	2' 4 8/9"
2' 6"	2' 4 8/9"	2' 7 1/5"	2' 4 1/2"	2' 7 2/3"	2' 3 8/9"	2' 8 2/5"
2' 9"	2' 7 3/5"	2' 10 1/2"	2' 7 1/5"	2' 11"	2' 6 1/2"	2' 11 8/9"
3' 0"	2' 10 2/7"	3' 1 4/5"	2' 9 4/5"	3' 2 2/5"	2' 9"	3' 3 1/2"
3' 6"	3' 3 4/5"	3' 8 1/2"	3' 3 1/9"	3' 9 2/5"	3' 2"	3' 10 8/9"
4' 0"	3' 9 1/9"	4' 3 2/7"	3' 8 1/5"	4' 4 2/5"	3' 6 4/5"	4' 6 1/2"
5' 0"	4' 7 1/2"	5' 5 2/7"	4' 6 1/5"	5' 7 1/5"	4' 4 1/9"	5' 10 5/7"
6' 0"	5' 5 3/5"	6' 7 4/5"	5' 3 4/5"	6' 10 3/5"	5' 8/9"	7' 4"
8' 0"	7' 1"	9' 2 2/5"	6' 10"	9' 8"	6' 5 1/5"	10' 6 4/5"
10' 0"	8' 7"	11' 11 1/2"	8' 2 5/7"	12' 9"	7' 8"	14' 4 3/5"
15' 0"	12' 2/5"	19' 10 4/5"	11' 4"	22' 2 1/3"	10' 3 2/5"	27' 8 1/2"
30' 0"	20' 1"	59' 3 4/5"	18' 2"	85' 9 2/5"	15' 7 1/2"	375' 9 3/5"
INF	60' 5 3/5"	INF	45' 11 1/2"	INF	32' 5 4/5"	INF

**Supreme Prime 29mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 1/2"	1' 1 3/5"	1' 1/5"	1' 1 4/5"	1' 0"	1' 2 1/5"
1' 2"	1' 1 2/5"	1' 2 2/3"	1' 1"	1' 3"	1' 4/5"	1' 3 1/2"
1' 3"	1' 2 1/3"	1' 3 4/5"	1' 2"	1' 4 1/9"	1' 1 3/5"	1' 4 2/3"
1' 4"	1' 3 1/5"	1' 4 8/9"	1' 3"	1' 5 1/3"	1' 2 2/5"	1' 5 8/9"
1' 5"	1' 4 1/9"	1' 6"	1' 3 2/3"	1' 6 1/2"	1' 3 1/3"	1' 7 1/5"
1' 6"	1' 5"	1' 7 1/5"	1' 4 3/5"	1' 7 2/3"	1' 4"	1' 8 1/2"
1' 7"	1' 5 8/9"	1' 8 1/3"	1' 5 2/5"	1' 8 8/9"	1' 4 4/5"	1' 9 4/5"
1' 8"	1' 6 2/3"	1' 9 1/2"	1' 6 1/5"	1' 10 1/9"	1' 5 3/5"	1' 11 1/5"
1' 9"	1' 7 3/5"	1' 10 3/5"	1' 7"	1' 11 2/5"	1' 6 1/3"	2' 1/2"
1' 10"	1' 8 1/2"	1' 11 4/5"	1' 7 8/9"	2' 3/5"	1' 7 1/9"	2' 1 8/9"
1' 11"	1' 9 1/3"	2' 1"	1' 8 2/3"	2' 1 8/9"	1' 7 4/5"	2' 3 1/3"
2' 0"	1' 10 1/5"	2' 2 1/5"	1' 9 1/2"	2' 3 1/5"	1' 8 3/5"	2' 4 4/5"
2' 3"	2' 2/3"	2' 5 4/5"	1' 11 4/5"	2' 7 1/9"	1' 10 2/3"	2' 9 1/5"
2' 6"	2' 3 1/5"	2' 9 1/2"	2' 2 1/9"	2' 11 1/5"	2' 4/5"	3' 1 8/9"
2' 9"	2' 5 3/5"	3' 1 2/7"	2' 4 2/5"	3' 3 2/5"	2' 2 4/5"	3' 6 8/9"
3' 0"	2' 7 8/9"	3' 5 1/5"	2' 6 1/2"	3' 7 4/5"	2' 4 2/3"	4' 1/9"
3' 6"	3' 3/5"	4' 1 2/7"	2' 10 5/7"	4' 5 1/9"	2' 8 2/5"	4' 11 5/7"
4' 0"	3' 5"	4' 9 4/5"	3' 2 5/7"	5' 3 1/5"	2' 11 4/5"	6' 5/7"
5' 0"	4' 1 1/2"	6' 4 2/7"	3' 10 1/9"	7' 2"	3' 6 1/9"	8' 8 3/5"
6' 0"	4' 9 2/7"	8' 1"	4' 4 4/5"	9' 5"	3' 11 3/5"	12' 4"
8' 0"	5' 11 2/5"	12' 2 1/3"	5' 4 3/5"	15' 7"	4' 8 8/9"	25' 7 1/9"
10' 0"	6' 12"	17' 6 4/5"	6' 2 3/5"	25' 7 1/3"	5' 4 1/2"	72' 2 5/7"
15' 0"	9' 1 1/5"	42' 7 2/3"	7' 10"	181' 3"	6' 6 2/5"	INF
30' 0"	13' 1/2"	INF	10' 6 5/7"	INF	8' 4"	INF
INF	22' 11 4/5"	INF	16' 3"	INF	11' 6"	INF

**Supreme Prime 29mm
Circle of Confusion 0.030mm**

Engraving	11.31		T-Stop 16.0		22.63	
	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	0' 11 3/5"	1' 2 4/5"	0' 11"	1' 3 2/3"	0' 10 1/2"	1' 5 1/5"
1' 2"	1' 2/5"	1' 4 1/9"	0' 11 4/5"	1' 5 1/5"	0' 11"	1' 7"
1' 3"	1' 1"	1' 5 1/2"	1' 1/2"	1' 6 4/5"	0' 11 2/3"	1' 9"
1' 4"	1' 2"	1' 6 8/9"	1' 1 1/5"	1' 8 2/5"	1' 1/3"	1' 11"
1' 5"	1' 2 3/5"	1' 8 1/3"	1' 1 4/5"	1' 10 1/9"	1' 4/5"	2' 1 1/5"
1' 6"	1' 3 1/3"	1' 9 2/3"	1' 2 1/2"	1' 11 4/5"	1' 1 2/5"	2' 3 1/2"
1' 7"	1' 4 1/9"	1' 11 1/3"	1' 3"	2' 1 2/3"	1' 2"	2' 6"
1' 8"	1' 4 4/5"	2' 4/5"	1' 3 2/3"	2' 3 1/2"	1' 2 2/5"	2' 8 3/5"
1' 9"	1' 5 2/5"	2' 2 1/3"	1' 4 1/3"	2' 5 1/2"	1' 3"	2' 11 2/5"
1' 10"	1' 6 1/9"	2' 4"	1' 4 8/9"	2' 7 3/5"	1' 3 2/5"	3' 2 1/2"
1' 11"	1' 6 4/5"	2' 5 3/5"	1' 5 1/2"	2' 9 5/7"	1' 4"	3' 5 5/7"
2' 0"	1' 7 1/2"	2' 7 2/5"	1' 6"	2' 11 8/9"	1' 4 1/3"	3' 9 1/5"
2' 3"	1' 9 1/3"	3' 5/7"	1' 7 3/5"	3' 7 1/5"	1' 5 3/5"	4' 9 1/2"
2' 6"	1' 11 1/5"	3' 6 3/5"	1' 9 1/5"	4' 3 3/5"	1' 6 4/5"	6' 1 1/2"
2' 9"	2' 8/9"	4' 1"	1' 10 3/5"	5' 1 2/7"	1' 8"	7' 11"
3' 0"	2' 2 1/2"	4' 8"	1' 11 8/9"	6' 5/7"	1' 9"	10' 6"
3' 6"	2' 5 3/5"	6' 2/7"	2' 2 2/5"	8' 7"	1' 10 8/9"	21' 7 1/5"
4' 0"	2' 8 2/5"	7' 8 2/7"	2' 4 3/5"	12' 5 3/5"	2' 1/2"	101' 7"
5' 0"	3' 1 2/5"	12' 7 1/5"	2' 8 2/5"	34' 8/9"	2' 3 1/5"	INF
6' 0"	3' 5 5/7"	21' 11"	2' 11 1/2"	INF	2' 5 2/5"	INF
8' 0"	4' 5/7"	284' 8 2/3"	3' 4 2/5"	INF	2' 8 3/5"	INF
10' 0"	4' 6 1/9"	INF	3' 8 1/9"	INF	2' 10 8/9"	INF
15' 0"	5' 3 1/2"	INF	4' 2 1/9"	INF	3' 2 3/5"	INF
30' 0"	6' 5"	INF	4' 10"	INF	3' 7 1/9"	INF
INF	8' 1 3/5"	INF	5' 9"	INF	4' 4/5"	INF

**Supreme Prime 35mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	1.52		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 1"	1' 1"	1' 4/5"	1' 1 1/5"	1' 2/3"	1' 1 1/3"
1' 2"	1' 2"	1' 2 1/5"	1' 1 4/5"	1' 2 1/5"	1' 1 2/3"	1' 2 1/3"
1' 3"	1' 2 4/5"	1' 3 1/5"	1' 2 4/5"	1' 3 1/5"	1' 2 3/5"	1' 3 2/5"
1' 4"	1' 3 4/5"	1' 4 1/5"	1' 3 2/3"	1' 4 1/5"	1' 3 3/5"	1' 4 2/5"
1' 5"	1' 4 4/5"	1' 5 1/5"	1' 4 2/3"	1' 5 1/3"	1' 4 3/5"	1' 5 1/2"
1' 6"	1' 5 4/5"	1' 6 1/5"	1' 5 2/3"	1' 6 1/3"	1' 5 1/2"	1' 6 1/2"
1' 7"	1' 6 4/5"	1' 7 1/3"	1' 6 2/3"	1' 7 2/5"	1' 6 2/5"	1' 7 3/5"
1' 8"	1' 7 2/3"	1' 8 1/3"	1' 7 3/5"	1' 8 2/5"	1' 7 2/5"	1' 8 2/3"
1' 9"	1' 8 2/3"	1' 9 1/3"	1' 8 3/5"	1' 9 2/5"	1' 8 1/3"	1' 9 2/3"
1' 10"	1' 9 2/3"	1' 10 2/5"	1' 9 1/2"	1' 10 1/2"	1' 9 1/5"	1' 10 4/5"
1' 11"	1' 10 3/5"	1' 11 2/5"	1' 10 1/2"	1' 11 1/2"	1' 10 1/9"	1' 11 8/9"
2' 0"	1' 11 3/5"	2' 1/2"	1' 11 1/2"	2' 3/5"	1' 11 1/9"	2' 1"
2' 3"	2' 2 1/2"	2' 3 3/5"	2' 2 1/3"	2' 3 2/3"	2' 1 4/5"	2' 4 1/3"
2' 6"	2' 5 1/3"	2' 6 2/3"	2' 5 1/9"	2' 6 8/9"	2' 4 3/5"	2' 7 3/5"
2' 9"	2' 8 1/5"	2' 9 4/5"	2' 7 8/9"	2' 10 1/9"	2' 7 1/3"	2' 10 8/9"
3' 0"	2' 11"	3' 1"	2' 10 5/7"	3' 1 2/7"	2' 9 8/9"	3' 2 2/7"
3' 3"	3' 1 8/9"	3' 4 1/5"	3' 1 3/5"	3' 4 3/5"	3' 3/5"	3' 5 4/5"
3' 6"	3' 4 5/7"	3' 7 2/5"	3' 4 2/7"	3' 7 8/9"	3' 3 1/5"	3' 9 1/5"
3' 9"	3' 7 1/2"	3' 10 3/5"	3' 7 1/9"	3' 11 1/9"	3' 5 4/5"	4' 5/7"
4' 0"	3' 10 2/7"	4' 1 4/5"	3' 9 4/5"	4' 2 2/5"	3' 8 2/5"	4' 4 2/7"
4' 6"	4' 3 8/9"	4' 8 2/5"	4' 3 1/5"	4' 9 1/9"	4' 1 2/5"	4' 11 1/2"
5' 0"	4' 9 2/5"	5' 2 8/9"	4' 8 3/5"	5' 3 8/9"	4' 6 2/5"	5' 7"
6' 0"	5' 8 1/5"	6' 4 2/7"	5' 7"	6' 5 5/7"	5' 4"	6' 10 1/5"
8' 0"	7' 5 2/7"	8' 7 5/7"	7' 3 2/5"	8' 10 2/5"	6' 10 2/7"	9' 7 1/5"
10' 0"	9' 1 5/7"	11' 2/5"	8' 11"	11' 4 4/5"	8' 3 2/7"	12' 7 2/3"
12' 0"	10' 9 1/2"	13' 6 1/3"	10' 5 1/2"	14' 1"	9' 7"	16' 1/3"
20' 0"	16' 10"	24' 7 3/5"	16' 2/5"	26' 6 8/9"	14' 1"	34' 5 4/5"
40' 0"	29' 3/5"	64' 2 3/5"	26' 8 4/5"	79' 4 4/5"	21' 8 1/2"	254' 2/3"
INF	105' 7 3/5"	INF	80' 3 3/5"	INF	47' 3 5/7"	INF

**Supreme Prime 35mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 3/5"	1' 1 2/5"	1' 1/2"	1' 1 1/2"	1' 1/3"	1' 1 4/5"
1' 2"	1' 1 3/5"	1' 2 1/2"	1' 1 2/5"	1' 2 2/3"	1' 1 1/5"	1' 3"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/3"	1' 3 4/5"	1' 2"	1' 4 1/9"
1' 4"	1' 3 2/5"	1' 4 3/5"	1' 3 1/5"	1' 4 8/9"	1' 3"	1' 5 1/5"
1' 5"	1' 4 2/5"	1' 5 2/3"	1' 4 1/9"	1' 6"	1' 3 4/5"	1' 6 2/5"
1' 6"	1' 5 1/3"	1' 6 4/5"	1' 5"	1' 7 1/9"	1' 4 3/5"	1' 7 3/5"
1' 7"	1' 6 1/5"	1' 7 8/9"	1' 5 8/9"	1' 8 1/3"	1' 5 1/2"	1' 8 4/5"
1' 8"	1' 7 1/9"	1' 9"	1' 6 4/5"	1' 9 2/5"	1' 6 1/3"	1' 10"
1' 9"	1' 8"	1' 10 1/9"	1' 7 3/5"	1' 10 1/2"	1' 7 1/9"	1' 11 1/3"
1' 10"	1' 8 8/9"	1' 11 1/5"	1' 8 1/2"	1' 11 2/3"	1' 8"	2' 1/2"
1' 11"	1' 9 4/5"	2' 1/3"	1' 9 2/5"	2' 8/9"	1' 8 4/5"	2' 1 4/5"
2' 0"	1' 10 2/3"	2' 1 2/5"	1' 10 1/5"	2' 2 1/9"	1' 9 3/5"	2' 3 1/9"
2' 3"	2' 1 2/5"	2' 4 4/5"	2' 4/5"	2' 5 2/3"	2' 0"	2' 7"
2' 6"	2' 4"	2' 8 2/7"	2' 3 1/3"	2' 9 2/5"	2' 2 1/3"	2' 11"
2' 9"	2' 6 3/5"	2' 11 4/5"	2' 5 2/3"	3' 1 1/9"	2' 4 1/2"	3' 3 1/5"
3' 0"	2' 9 1/9"	3' 3 2/5"	2' 8 1/9"	3' 5"	2' 6 2/3"	3' 7 1/2"
3' 3"	2' 11 5/7"	3' 7"	2' 10 1/2"	3' 9"	2' 8 8/9"	4' 0"
3' 6"	3' 2 1/5"	3' 10 5/7"	3' 4/5"	4' 1"	2' 10 8/9"	4' 4 5/7"
3' 9"	3' 4 3/5"	4' 2 1/2"	3' 3"	4' 5 1/5"	3' 1"	4' 9 1/2"
4' 0"	3' 7"	4' 6 2/7"	3' 5 1/5"	4' 9 2/5"	3' 3"	5' 2 1/2"
4' 6"	3' 11 4/5"	5' 2 1/5"	3' 9 3/5"	5' 6 2/7"	3' 6 4/5"	6' 1 1/5"
5' 0"	4' 4 2/5"	5' 10 1/5"	4' 1 5/7"	6' 3 3/5"	3' 10 2/5"	7' 5/7"
6' 0"	5' 1 1/5"	7' 3 2/5"	4' 9 5/7"	7' 11 4/5"	4' 5 2/7"	9' 3"
8' 0"	6' 5 5/7"	10' 5 1/2"	6' 0"	11' 12"	5' 5 2/7"	15' 1 2/5"
10' 0"	7' 8 5/7"	14' 2 1/5"	7' 3/5"	17' 2"	6' 3 1/2"	24' 4 8/9"
12' 0"	8' 10 2/7"	18' 7 1/5"	7' 12"	24' 1 1/3"	7' 1/5"	41' 4 1/3"
20' 0"	12' 6 3/5"	49' 2 5/7"	10' 10 2/5"	125' 1 1/5"	9' 1 5/7"	INF
40' 0"	18' 3"	INF	14' 10 4/5"	INF	11' 10"	INF
INF	33' 5 2/3"	INF	23' 8"	INF	16' 9"	INF

**Supreme Prime 35mm
Circle of Confusion 0.030mm**

Engraving	11.31		T-Stop 16.0		22.63	
	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 1"	1' 0"	1' 2"	0' 11 3/5"	1' 2 2/3"	0' 11 1/5"	1' 3 1/2"
1' 2"	1' 1"	1' 3 2/5"	1' 2/5"	1' 4"	0' 12"	1' 5"
1' 3"	1' 1 2/3"	1' 4 3/5"	1' 1 1/5"	1' 5 2/5"	1' 3/5"	1' 6 3/5"
1' 4"	1' 2 1/2"	1' 5 4/5"	1' 2"	1' 6 2/3"	1' 1 1/3"	1' 8 1/9"
1' 5"	1' 3 1/3"	1' 7 1/9"	1' 2 2/3"	1' 8 1/9"	1' 2"	1' 9 4/5"
1' 6"	1' 4 1/9"	1' 8 2/5"	1' 3 2/5"	1' 9 3/5"	1' 2 3/5"	1' 11 1/2"
1' 7"	1' 4 8/9"	1' 9 2/3"	1' 4 1/5"	1' 11 1/9"	1' 3 1/5"	2' 1 1/3"
1' 8"	1' 5 2/3"	1' 11"	1' 4 8/9"	2' 3/5"	1' 3 4/5"	2' 3 1/9"
1' 9"	1' 6 2/5"	2' 1/3"	1' 5 3/5"	2' 2 1/9"	1' 4 2/5"	2' 5"
1' 10"	1' 7 1/5"	2' 1 2/3"	1' 6 1/3"	2' 3 2/3"	1' 5 1/9"	2' 7"
1' 11"	1' 8"	2' 3 1/9"	1' 6 8/9"	2' 5 1/3"	1' 5 3/5"	2' 9"
2' 0"	1' 8 2/3"	2' 4 3/5"	1' 7 3/5"	2' 7"	1' 6 1/5"	2' 11 1/5"
2' 3"	1' 10 8/9"	2' 8 8/9"	1' 9 1/2"	3' 2/7"	1' 7 4/5"	3' 6 2/7"
2' 6"	2' 1"	3' 1 3/5"	1' 11 1/3"	3' 6"	1' 9 2/5"	4' 2 1/5"
2' 9"	2' 3"	3' 6 2/5"	2' 1 1/9"	4' 1/9"	1' 10 4/5"	4' 11 2/5"
3' 0"	2' 4 8/9"	3' 11 3/5"	2' 2 4/5"	4' 6 8/9"	2' 1/5"	5' 10 1/5"
3' 3"	2' 6 4/5"	4' 5 1/9"	2' 4 2/5"	5' 2 2/5"	2' 1 1/2"	6' 11"
3' 6"	2' 8 5/7"	4' 10 4/5"	2' 5 8/9"	5' 10 1/2"	2' 2 2/3"	8' 2"
3' 9"	2' 10 2/5"	5' 5"	2' 7 2/5"	6' 7 1/2"	2' 3 8/9"	9' 8 3/5"
4' 0"	3' 1/9"	5' 11 2/5"	2' 8 4/5"	7' 5 1/2"	2' 5"	11' 7 3/5"
4' 6"	3' 3 2/5"	7' 1 4/5"	2' 11 2/5"	9' 5 1/2"	2' 7"	17' 4 1/2"
5' 0"	3' 6 1/2"	8' 6"	3' 1 8/9"	12' 0"	2' 8 8/9"	28' 7 1/3"
6' 0"	4' 1/9"	11' 11"	3' 6 2/7"	20' 2 2/5"	3' 1/9"	1042' 1 8/9"
8' 0"	4' 9 3/5"	23' 11"	4' 1 2/5"	136' 11"	3' 5 1/5"	INF
10' 0"	5' 5 2/5"	60' 5 1/5"	4' 7"	INF	3' 8 8/9"	INF
12' 0"	5' 12"	INF	4' 11 1/2"	INF	3' 11 8/9"	INF
20' 0"	7' 5 3/5"	INF	5' 11"	INF	4' 7 1/9"	INF
40' 0"	9' 2"	INF	6' 11 2/7"	INF	5' 2"	INF
INF	11' 10"	INF	8' 4 1/2"	INF	5' 11"	INF

**Supreme Prime 50mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	1.52		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 6"	1' 5 8/9"	1' 6 1/9"	1' 5 4/5"	1' 6 1/5"	1' 5 2/3"	1' 6 1/5"
1' 7"	1' 6 8/9"	1' 7 1/5"	1' 6 4/5"	1' 7 1/5"	1' 6 2/3"	1' 7 1/3"
1' 8"	1' 7 4/5"	1' 8 1/5"	1' 7 4/5"	1' 8 1/5"	1' 7 2/3"	1' 8 1/3"
1' 9"	1' 8 4/5"	1' 9 1/5"	1' 8 2/3"	1' 9 1/5"	1' 8 3/5"	1' 9 1/3"
1' 10"	1' 9 4/5"	1' 10 1/5"	1' 9 2/3"	1' 10 1/3"	1' 9 3/5"	1' 10 2/5"
1' 11"	1' 10 4/5"	1' 11 1/5"	1' 10 2/3"	1' 11 1/3"	1' 10 3/5"	1' 11 2/5"
2' 0"	1' 11 4/5"	2' 1/3"	1' 11 2/3"	2' 1/3"	1' 11 3/5"	2' 1/2"
2' 3"	2' 2 2/3"	2' 3 1/3"	2' 2 3/5"	2' 3 2/5"	2' 2 2/5"	2' 3 3/5"
2' 6"	2' 5 3/5"	2' 6 2/5"	2' 5 1/2"	2' 6 1/2"	2' 5 1/3"	2' 6 2/3"
2' 9"	2' 8 1/2"	2' 9 1/2"	2' 8 2/5"	2' 9 3/5"	2' 8 1/9"	2' 9 8/9"
3' 0"	2' 11 2/5"	3' 3/5"	2' 11 2/7"	3' 5/7"	2' 11"	3' 1 1/9"
3' 3"	3' 2 2/5"	3' 3 5/7"	3' 2 1/5"	3' 3 8/9"	3' 1 4/5"	3' 4 2/7"
3' 6"	3' 5 1/5"	3' 6 4/5"	3' 5"	3' 7 1/9"	3' 4 3/5"	3' 7 1/2"
3' 9"	3' 8 1/9"	3' 9 8/9"	3' 7 4/5"	3' 10 1/5"	3' 7 2/5"	3' 10 5/7"
4' 0"	3' 11"	4' 1"	3' 10 5/7"	4' 1 2/5"	3' 10 1/5"	4' 2"
4' 3"	4' 1 8/9"	4' 4 1/5"	4' 1 1/2"	4' 4 3/5"	4' 8/9"	4' 5 1/5"
4' 6"	4' 4 5/7"	4' 7 2/5"	4' 4 2/5"	4' 7 4/5"	4' 3 5/7"	4' 8 3/5"
4' 9"	4' 7 3/5"	4' 10 1/2"	4' 7 1/5"	4' 11"	4' 6 2/5"	4' 11 4/5"
5' 0"	4' 10 2/5"	5' 1 5/7"	4' 9 8/9"	5' 2 1/5"	4' 9 1/9"	5' 3 1/5"
5' 6"	5' 4"	5' 8"	5' 3 1/2"	5' 8 5/7"	5' 2 1/2"	5' 9 4/5"
6' 0"	5' 9 5/7"	6' 2 2/5"	5' 9"	6' 3 1/5"	5' 8"	6' 4 3/5"
6' 6"	6' 3 2/7"	6' 8 4/5"	6' 2 1/2"	6' 9 4/5"	6' 1 1/5"	6' 11 1/2"
7' 0"	6' 9"	7' 3 2/7"	6' 8"	7' 4 2/5"	6' 6 1/2"	7' 6 2/5"
8' 0"	7' 8"	8' 4 2/5"	7' 6 4/5"	8' 5 4/5"	7' 4 4/5"	8' 8 1/2"
9' 0"	8' 7"	9' 5 3/5"	8' 5 2/5"	9' 7 1/2"	8' 3"	9' 11"
10' 0"	9' 5 4/5"	10' 7"	9' 4"	10' 9 1/3"	9' 1"	11' 1 3/5"
12' 0"	11' 3"	12' 10 1/5"	11' 1/2"	13' 1 2/3"	10' 8 1/3"	13' 8"
15' 0"	13' 10 1/3"	16' 4 1/5"	13' 6 2/5"	16' 10"	13' 0"	17' 8 2/3"
20' 0"	18' 1/5"	22' 5 2/3"	17' 5 3/5"	23' 4 2/3"	16' 7"	25' 2"
30' 0"	25' 8 4/5"	35' 11 3/5"	24' 7 1/2"	38' 4 1/2"	22' 11 1/9"	43' 4 8/9"
50' 0"	39' 1 4/5"	69' 2"	36' 7 2/3"	78' 8 1/5"	32' 11 4/5"	103' 3 2/7"
INF	179' 5 4/5"	INF	136' 5 5/7"	INF	96' 6"	INF

**Supreme Prime 50mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 6"	1' 5 3/5"	1' 6 2/5"	1' 5 1/2 0"	1' 6 1/2 0"	1' 5 1/3"	1' 6 2/3"
1' 7"	1' 6 3/5"	1' 7 2/5"	1' 6 1/2 0"	1' 7 3/5 0"	1' 6 1/3"	1' 7 4/5"
1' 8"	1' 7 3/5"	1' 8 2/5"	1' 7 2/5 0"	1' 8 3/5 0"	1' 7 1/5"	1' 8 8/9"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/3 0"	1' 9 2/3 0"	1' 8 1/9"	1' 10"
1' 10"	1' 9 1/2"	1' 10 3/5"	1' 9 1/3 0"	1' 10 4/5 0"	1' 9"	1' 11 1/9"
1' 11"	1' 10 2/5"	1' 11 3/5"	1' 10 1/5 0"	1' 11 8/9 0"	1' 9 8/9"	2' 1/5"
2' 0"	1' 11 2/5"	2' 2/3"	1' 11 1/9 0"	2' 1"	1' 10 4/5"	2' 1 2/5"
2' 3"	2' 2 1/5"	2' 3 8/9"	2' 1 8/9 0"	2' 4 1/5 0"	2' 1 1/2"	2' 4 4/5"
2' 6"	2' 5"	2' 7 1/9"	2' 4 3/5 0"	2' 7 1/2 0"	2' 4 1/9"	2' 8 1/5"
2' 9"	2' 7 4/5"	2' 10 2/7"	2' 7 1/3 0"	2' 10 8/9 0"	2' 6 2/3"	2' 11 5/7"
3' 0"	2' 10 3/5"	3' 1 1/2"	2' 10"	3' 2 1/5 0"	2' 9 1/5"	3' 3 1/5"
3' 3"	3' 1 2/7"	3' 4 8/9"	3' 5/7 0"	3' 5 5/7 0"	2' 11 4/5"	3' 6 8/9"
3' 6"	3' 4 1/9"	3' 8 1/5"	3' 3 2/7 0"	3' 9 1/9 0"	3' 2 2/7"	3' 10 3/5"
3' 9"	3' 6 4/5"	3' 11 1/2"	3' 5 8/9 0"	4' 3/5 0"	3' 4 5/7"	4' 2 2/7"
4' 0"	3' 9 2/5"	4' 2 4/5"	3' 8 1/2 0"	4' 4 1/9 0"	3' 7 1/9"	4' 6 1/9"
4' 3"	4' 1/9"	4' 6 1/5"	3' 11"	4' 7 5/7 0"	3' 9 1/2"	4' 9 8/9"
4' 6"	4' 2 4/5"	4' 9 5/7"	4' 1 3/5 0"	4' 11 2/7 0"	3' 11 8/9"	5' 1 8/9"
4' 9"	4' 5 2/5"	5' 1 1/9"	4' 4 1/9 0"	5' 3"	4' 2 2/7"	5' 5 4/5"
5' 0"	4' 8"	5' 4 3/5"	4' 6 1/2 0"	5' 6 5/7 0"	4' 4 3/5"	5' 10"
5' 6"	5' 1 1/5"	5' 11 3/5"	4' 11 2/5 0"	6' 2"	4' 9 1/9"	6' 6 1/5"
6' 0"	5' 6 2/7"	6' 6 5/7"	5' 4 1/5 0"	6' 10"	5' 1 1/2"	7' 2 4/5"
6' 6"	5' 11 2/5"	7' 2"	5' 9"	7' 5 5/7 0"	5' 5 4/5"	7' 11 5/7"
7' 0"	6' 4 2/5"	7' 9 2/5"	6' 1 3/5 0"	8' 2"	5' 10"	8' 9"
8' 0"	7' 2"	9' 2/5"	6' 10 3/5 0"	9' 6 3/5 0"	6' 6"	10' 4 1/2"
9' 0"	7' 11 3/5"	10' 4"	7' 7 2/7 0"	11' 1/5 0"	7' 1 4/5"	12' 1 3/5"
10' 0"	8' 9"	11' 8 1/5"	8' 3 5/7 0"	12' 6 2/3 0"	7' 9 1/5"	14' 1/2"
12' 0"	10' 2 4/5"	14' 6 1/5"	9' 7 5/7 0"	15' 10 4/5 0"	8' 11"	18' 4 1/3"
15' 0"	12' 4"	19' 2"	11' 5 2/3 0"	21' 7 4/5 0"	10' 5 1/2"	26' 6 1/9"
20' 0"	15' 6"	28' 2 1/9"	14' 2"	33' 11 1/5 0"	12' 8"	47' 8"
30' 0"	20' 10 3/5"	53' 2 8/9"	18' 6 1/2 0"	78' 5 3/5 0"	16' 1/5"	236' 3 1/5"
50' 0"	28' 11"	184' 7"	24' 7 1/3 0"	INF	20' 4"	INF
INF	68' 3 1/2"	INF	48' 3 2/7 0"	INF	34' 1 8/9"	INF

**Supreme Prime 50mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	11.31		16.0		22.63	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
1' 6"	1' 5 1/9"	1' 7"	1' 4 2/3"	1' 7 1/2"	1' 4 1/5"	1' 8 1/5"
1' 7"	1' 6"	1' 8 1/5"	1' 5 3/5"	1' 8 2/3"	1' 5"	1' 9 1/2"
1' 8"	1' 6 4/5"	1' 9 1/3"	1' 6 2/5"	1' 9 8/9"	1' 5 4/5"	1' 10 4/5"
1' 9"	1' 7 2/3"	1' 10 1/2"	1' 7 1/5"	1' 11 1/9"	1' 6 3/5"	2' 1/5"
1' 10"	1' 8 3/5"	1' 11 3/5"	1' 8"	2' 2/5"	1' 7 1/3"	2' 1 1/2"
1' 11"	1' 9 2/5"	2' 4/5"	1' 8 8/9"	2' 1 3/5"	1' 8 1/9"	2' 2 8/9"
2' 0"	1' 10 1/3"	2' 2"	1' 9 2/3"	2' 2 8/9"	1' 8 4/5"	2' 4 1/3"
2' 3"	2' 8/9"	2' 5 3/5"	2' 1/9"	2' 6 4/5"	1' 11"	2' 8 3/5"
2' 6"	2' 3 2/5"	2' 9 1/5"	2' 2 2/5"	2' 10 4/5"	2' 1 1/9"	3' 1 1/5"
2' 9"	2' 5 4/5"	3' 8/9"	2' 4 2/3"	3' 2 8/9"	2' 3 1/5"	3' 6"
3' 0"	2' 8 1/5"	3' 4 4/5"	2' 6 8/9"	3' 7 1/9"	2' 5 1/9"	3' 11"
3' 3"	2' 10 3/5"	3' 8 5/7"	2' 9"	3' 11 3/5"	2' 7 1/9"	4' 4 2/5"
3' 6"	3' 8/9"	4' 5/7"	2' 11 1/9"	4' 4 1/5"	2' 8 8/9"	4' 10"
3' 9"	3' 3 1/5"	4' 4 4/5"	3' 1 1/5"	4' 9"	2' 10 5/7"	5' 4"
4' 0"	3' 5 2/5"	4' 9"	3' 3 1/5"	5' 1 8/9"	3' 2/5"	5' 10 2/7"
4' 3"	3' 7 3/5"	5' 1 2/5"	3' 5 1/9"	5' 7"	3' 2 1/9"	6' 5"
4' 6"	3' 9 4/5"	5' 5 4/5"	3' 7 1/9"	6' 2/5"	3' 3 5/7"	7' 2/7"
4' 9"	3' 11 8/9"	5' 10 2/5"	3' 8 8/9"	6' 6"	3' 5 2/7"	7' 8"
5' 0"	4' 2"	6' 3"	3' 10 4/5"	6' 11 5/7"	3' 6 4/5"	8' 4"
5' 6"	4' 6 1/9"	7' 5/7"	4' 2 2/7"	7' 12"	3' 9 4/5"	9' 10 1/5"
6' 0"	4' 10"	7' 11"	4' 5 5/7"	9' 1 2/5"	4' 3/5"	11' 7 1/3"
6' 6"	5' 1 4/5"	8' 9 5/7"	4' 8 8/9"	10' 4"	4' 3 1/5"	13' 8"
7' 0"	5' 5 1/2"	9' 9 1/5"	5' 0"	11' 8"	4' 5 5/7"	16' 1 3/5"
8' 0"	6' 1/2"	11' 10"	5' 5 4/5"	14' 9 1/3"	4' 10 1/5"	22' 9 1/9"
9' 0"	6' 7"	14' 2 1/5"	5' 11 1/5"	18' 7 3/5"	5' 2 2/5"	33' 5 8/9"
10' 0"	7' 1 2/7"	16' 10 1/3"	6' 4 1/5"	23' 6 4/5"	5' 6"	53' 9 3/5"
12' 0"	8' 5/7"	23' 6 1/5"	7' 1"	39' 2/3"	6' 5/7"	593' 9 2/5"
15' 0"	9' 3 1/2"	38' 10"	8' 2/7"	113' 10"	6' 8 4/5"	INF
20' 0"	10' 11 4/5"	111' 5 1/2"	9' 3"	INF	7' 6 4/5"	INF
30' 0"	13' 5"	INF	10' 11"	INF	8' 7 4/5"	INF
50' 0"	16' 4"	INF	12' 9 1/5"	INF	9' 9"	INF
INF	24' 2"	INF	17' 1"	INF	12' 1"	INF

**Supreme Prime 85mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	1.52		2.0		2.83	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
2' 9"	2' 8 4/5"	2' 9 1/9"	2' 8 4/5"	2' 9 1/5"	2' 8 5/7"	2' 9 2/7"
3' 0"	2' 11 4/5"	3' 1/5"	2' 11 5/7"	3' 1/5"	2' 11 3/5"	3' 2/7"
3' 3"	3' 2 4/5"	3' 3 1/5"	3' 2 5/7"	3' 3 2/7"	3' 2 3/5"	3' 3 2/5"
3' 6"	3' 5 5/7"	3' 6 2/7"	3' 5 5/7"	3' 6 2/5"	3' 5 1/2"	3' 6 1/2"
3' 9"	3' 8 5/7"	3' 9 2/7"	3' 8 3/5"	3' 9 2/5"	3' 8 2/5"	3' 9 3/5"
4' 0"	3' 11 5/7"	4' 2/7"	3' 11 1/2"	4' 2/5"	3' 11 2/5"	4' 3/5"
4' 3"	4' 2 3/5"	4' 3 2/5"	4' 2 1/2"	4' 3 1/2"	4' 2 2/7"	4' 3 5/7"
4' 6"	4' 5 3/5"	4' 6 1/2"	4' 5 2/5"	4' 6 3/5"	4' 5 1/5"	4' 6 4/5"
4' 9"	4' 8 1/2"	4' 9 1/2"	4' 8 2/5"	4' 9 5/7"	4' 8 1/9"	4' 9 8/9"
5' 0"	4' 11 1/2"	5' 1/2"	4' 11 2/7"	5' 5/7"	4' 11"	5' 1"
5' 3"	5' 2 2/5"	5' 3 3/5"	5' 2 1/5"	5' 3 4/5"	5' 1 8/9"	5' 4"
5' 6"	5' 5 2/7"	5' 6 5/7"	5' 5"	5' 7"	5' 4 4/5"	5' 7 1/5"
5' 9"	5' 8 2/7"	5' 9 4/5"	5' 8"	5' 10"	5' 7 5/7"	5' 10 2/5"
6' 0"	5' 11 1/5"	6' 4/5"	5' 11"	6' 1"	5' 10 3/5"	6' 1 1/2"
6' 6"	6' 5"	6' 7"	6' 4 4/5"	6' 7 1/5"	6' 4 2/7"	6' 7 4/5"
7' 0"	6' 11"	7' 1"	6' 10 3/5"	7' 1 1/2"	6' 10"	7' 2"
7' 6"	7' 4 4/5"	7' 7 2/7"	7' 4 2/5"	7' 7 5/7"	7' 3 5/7"	7' 8 2/5"
8' 0"	7' 10 3/5"	8' 1 2/5"	7' 10"	8' 2"	7' 9 2/5"	8' 2 5/7"
8' 6"	8' 4 2/5"	8' 7 3/5"	8' 4"	8' 8 1/5"	8' 3"	8' 9"
9' 0"	8' 10 1/5"	9' 1 4/5"	8' 9 5/7"	9' 2 2/5"	8' 8 5/7"	9' 3 1/2"
10' 0"	9' 9 4/5"	10' 2 2/7"	9' 9"	10' 3"	9' 8"	10' 4 2/7"
12' 0"	11' 8 4/5"	12' 3 1/3"	11' 8"	12' 4 2/5"	11' 6 1/5"	12' 6 1/3"
12' 0"	11' 8 4/5"	12' 3 1/3"	11' 8"	12' 4 2/5"	11' 6 1/5"	12' 6 1/3"
14' 0"	13' 7 2/3"	14' 4 1/2"	13' 6 2/5"	14' 6"	13' 4"	14' 8 2/3"
16' 0"	15' 6 2/5"	16' 6"	15' 4 2/3"	16' 8"	15' 1 4/5"	16' 11 1/2"
18' 0"	17' 5"	18' 7 3/5"	17' 2 2/3"	18' 10"	16' 11"	19' 2 3/5"
20' 0"	19' 3 1/5"	20' 9 1/2"	19' 3/5"	21' 3/5"	18' 8 1/5"	21' 6 1/5"
25' 0"	23' 10 2/5"	26' 3"	23' 6 1/3"	26' 8"	22' 11 3/5"	27' 5 1/9"
30' 0"	28' 4 1/2"	31' 9 4/5"	27' 10 4/5"	32' 5 1/3"	27' 1 2/5"	33' 6 8/9"
40' 0"	37' 1 8/9"	43' 3 5/7"	36' 4 1/9"	44' 5 5/7"	35' 1/5"	46' 7 3/5"
50' 0"	45' 7 3/5"	55' 3 1/2"	44' 4 8/9"	57' 2 2/5"	42' 5 1/3"	60' 10"
100' 0"	83' 10 8/9"	123' 8 4/5"	79' 10 1/9"	133' 9 1/5"	73' 8 1/5"	155' 6 5/7"
INF	516' 7 1/3"	INF	393' 2 1/2"	INF	278' 3 1/5"	INF

**Supreme Prime 85mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	4.0		5.66		8.0	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
2' 9"	2' 8 3/5"	2' 9 2/5"	2' 8 2/5"	2' 9 3/5"	2' 8 1/5"	2' 9 4/5"
3' 0"	2' 11 1/2"	3' 1/2"	2' 11 2/7"	3' 5/7"	2' 11"	3' 1"
3' 3"	3' 2 2/5"	3' 3 3/5"	3' 2 1/5"	3' 3 8/9"	3' 1 8/9"	3' 4 1/5"
3' 6"	3' 5 2/7"	3' 6 5/7"	3' 5 1/9"	3' 7"	3' 4 5/7"	3' 7 2/5"
3' 9"	3' 8 1/5"	3' 9 4/5"	3' 7 8/9"	3' 10 1/9"	3' 7 1/2"	3' 10 3/5"
4' 0"	3' 11 1/9"	4' 8/9"	3' 10 5/7"	4' 1 2/7"	3' 10 1/5"	4' 1 8/9"
4' 3"	4' 2"	4' 4"	4' 1 3/5"	4' 4 1/2"	4' 1"	4' 5 1/9"
4' 6"	4' 4 8/9"	4' 7 1/5"	4' 4 2/5"	4' 7 5/7"	4' 3 4/5"	4' 8 2/5"
4' 9"	4' 7 5/7"	4' 10 2/7"	4' 7 1/5"	4' 10 8/9"	4' 6 1/2"	4' 11 5/7"
5' 0"	4' 10 3/5"	5' 1 1/2"	4' 10"	5' 2 1/9"	4' 9 2/7"	5' 3"
5' 3"	5' 1 2/5"	5' 4 3/5"	5' 4/5"	5' 5 2/7"	5' 0"	5' 6 2/7"
5' 6"	5' 4 2/7"	5' 7 4/5"	5' 3 3/5"	5' 8 1/2"	5' 2 5/7"	5' 9 5/7"
5' 9"	5' 7 1/5"	5' 11"	5' 6 2/5"	5' 11 4/5"	5' 5 2/5"	6' 1"
6' 0"	5' 10"	6' 2 1/5"	5' 9 1/5"	6' 3"	5' 8"	6' 4 2/5"
6' 6"	6' 3 3/5"	6' 8 1/2"	6' 2 5/7"	6' 9 3/5"	6' 1 2/5"	6' 11 1/5"
7' 0"	6' 9 2/7"	7' 3"	6' 8 1/5"	7' 4 2/7"	6' 6 5/7"	7' 6 1/5"
7' 6"	7' 2 4/5"	7' 9 2/5"	7' 1 3/5"	7' 11"	6' 12"	8' 1"
8' 0"	7' 8 2/5"	8' 4"	7' 7"	8' 5 3/5"	7' 5"	8' 8"
8' 6"	8' 2"	8' 10 2/5"	8' 2/7"	9' 2/5"	7' 10 1/5"	9' 3 2/7"
9' 0"	8' 7 2/5"	9' 5"	8' 5 3/5"	9' 7 1/5"	8' 3 1/5"	9' 10 1/2"
10' 0"	9' 6 2/5"	10' 6 1/5"	9' 4 1/5"	10' 9"	9' 1 1/5"	11' 1"
12' 0"	11' 4"	12' 9"	11' 1"	13' 1 1/5"	10' 8 2/3"	13' 7 2/5"
12' 0"	11' 4"	12' 9"	11' 1"	13' 1 1/5"	10' 8 2/3"	13' 7 2/5"
14' 0"	13' 1"	15' 1/2"	12' 9"	15' 6 1/3"	12' 3 1/2"	16' 3"
16' 0"	14' 10"	17' 4 3/5"	14' 4 3/5"	18' 2/5"	13' 9 3/5"	19' 2/5"
18' 0"	16' 6 1/5"	19' 9 1/3"	15' 11 2/3"	20' 7 2/5"	15' 3"	21' 11 1/5"
20' 0"	18' 2 1/5"	22' 2 3/5"	17' 6 1/3"	23' 3 1/2"	16' 8"	24' 11 8/9"
25' 0"	22' 2 3/5"	28' 6 8/9"	21' 3"	30' 4 3/5"	19' 12"	33' 4 1/5"
30' 0"	26' 8/9"	35' 3 4/5"	24' 8 4/5"	38' 1 2/5"	23' 2/3"	42' 11"
40' 0"	33' 3 3/5"	50' 4/5"	31' 1 2/3"	55' 10 8/9"	28' 6 1/3"	66' 10 8/9"
50' 0"	39' 11 1/3"	66' 9 4/5"	36' 10 2/5"	77' 7 8/9"	33' 3 1/9"	100' 8 2/7"
100' 0"	66' 5 2/5"	201' 11 2/5"	58' 4"	350' 2/3"	49' 9 1/9"	INF
INF	197' 4/5"	INF	139' 4 2/5"	INF	98' 7 4/5"	INF

**Supreme Prime 85mm
Circle of Confusion 0.030mm**

Engraving	T-Stop					
	11.31		16.0		22.63	
ft inch	NearFocus	FarFocus	NearFocus	FarFocus	NearFocus	FarFocus
2' 9"	2' 7 8/9"	2' 10 1/5"	2' 7 2/5"	2' 10 5/7"	2' 6 4/5"	2' 11 1/2"
3' 0"	2' 10 3/5"	3' 1 2/5"	2' 10 1/9"	3' 2 1/9"	2' 9 2/5"	3' 3"
3' 3"	3' 1 2/5"	3' 4 5/7"	3' 4/5"	3' 5 1/2"	3' 0"	3' 6 3/5"
3' 6"	3' 4 1/5"	3' 8"	3' 3 2/5"	3' 8 8/9"	3' 2 1/2"	3' 10 2/7"
3' 9"	3' 6 8/9"	3' 11 2/5"	3' 6"	4' 2/5"	3' 4 8/9"	4' 2"
4' 0"	3' 9 3/5"	4' 2 5/7"	3' 8 3/5"	4' 3 8/9"	3' 7 2/5"	4' 5 5/7"
4' 3"	4' 1/5"	4' 6 1/9"	3' 11 1/5"	4' 7 2/5"	3' 9 4/5"	4' 9 1/2"
4' 6"	4' 2 8/9"	4' 9 1/2"	4' 1 4/5"	4' 11 1/9"	4' 1/5"	5' 1 2/5"
4' 9"	4' 5 3/5"	5' 8/9"	4' 4 2/7"	5' 2 5/7"	4' 2 1/2"	5' 5 2/5"
5' 0"	4' 8 1/5"	5' 4 2/7"	4' 6 4/5"	5' 6 2/7"	4' 4 8/9"	5' 9 2/5"
5' 3"	4' 10 4/5"	5' 7 4/5"	4' 9 1/5"	5' 10"	4' 7 1/9"	6' 1 2/5"
5' 6"	5' 1 2/5"	5' 11 2/7"	4' 11 5/7"	6' 1 4/5"	4' 9 2/5"	6' 5 3/5"
5' 9"	5' 4"	6' 3"	5' 2 1/9"	6' 5 3/5"	4' 11 5/7"	6' 9 4/5"
6' 0"	5' 6 3/5"	6' 6 2/5"	5' 4 1/2"	6' 9 2/5"	5' 1 8/9"	7' 2"
6' 6"	5' 11 3/5"	7' 1 3/5"	5' 9 2/7"	7' 5 1/5"	5' 6 1/5"	7' 11"
7' 0"	6' 4 3/5"	7' 9"	6' 2"	8' 1 2/7"	5' 10 1/2"	8' 8"
7' 6"	6' 9 3/5"	8' 4 2/5"	6' 6 1/2"	8' 9 2/5"	6' 2 3/5"	9' 5 1/2"
8' 0"	7' 2 2/5"	8' 12"	6' 11"	9' 5 4/5"	6' 6 3/5"	10' 3 1/5"
8' 6"	7' 7 2/7"	9' 7 3/5"	7' 3 2/5"	10' 2 2/5"	6' 10 3/5"	11' 1 2/5"
9' 0"	8' 0"	10' 3 2/5"	7' 7 4/5"	10' 11 1/5"	7' 2 2/5"	11' 12"
10' 0"	8' 9 2/7"	11' 7 2/5"	8' 4 2/7"	12' 5 2/5"	7' 10"	13' 10 1/3"
12' 0"	10' 3 2/7"	14' 5"	9' 8 2/5"	15' 8 4/5"	8' 11 4/5"	18' 4/5"
12' 0"	10' 3 2/7"	14' 5"	9' 8 2/5"	15' 8 4/5"	8' 11 4/5"	18' 4/5"
14' 0"	11' 8 2/5"	17' 5"	10' 11 1/2"	19' 4 3/5"	10' 3/5"	23' 2/3"
16' 0"	13' 2/3"	20' 7 4/5"	12' 1 3/5"	23' 5 2/3"	11' 2/5"	29' 1 1/3"
18' 0"	14' 4 1/3"	24' 1 2/5"	13' 3"	28' 8/9"	11' 11 1/3"	36' 6 3/5"
20' 0"	15' 7 1/5"	27' 10 2/5"	14' 3 1/2"	33' 3 3/5"	12' 9 2/5"	45' 11 1/2"
25' 0"	18' 5 3/5"	38' 8 1/3"	16' 8"	50' 5/7"	14' 7 3/5"	85' 7 1/2"
30' 0"	21' 3/5"	52' 2 3/5"	18' 8 2/3"	75' 4 1/5"	16' 2 1/2"	201' 8"
40' 0"	25' 6"	92' 8 3/5"	22' 2"	204' 5 1/5"	18' 8 1/2"	INF
50' 0"	29' 2 1/2"	173' 5 1/5"	24' 11"	INF	20' 7 1/2"	INF
100' 0"	41' 2 2/5"	INF	33' 1 2/5"	INF	25' 11 1/5"	INF
INF	69' 9 3/5"	INF	49' 4 2/7"	INF	34' 10 4/5"	INF