



# DL (Dry Lock) Port System Charts for Sony Alpha Series Cameras

## **PORT OPTIONS**

Some lenses have more than one port option. The first column is always the recommended option for the best compromise of imaging quality, performance, and handling with any given lens.

## **PRODUCT(S) REQUIRED**

Where multiple lines of products are listed for a given option, all products listed are required to make a complete compatible lens port.

## **LENSES REFERENCING “+4 DIOPTER REQUIRED”**

A +4 diopter is available for purchase through your local camera store, and is commonly sold in a set with +1 and +2 close-up lenses. Common brands include Tiffen and Hoya. Make sure to purchase the correct size for your lens. The thread diameter is usually referenced on the front of the lens in millimeters ( $\emptyset$  58mm, 67mm, etc.). All photos will be out of focus if a +4 diopter is required but not used.

# Sony E-Mount Lenses

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>8 mm Rokinon Fisheye</b>	Not recommended due to extreme vignetting.		
<b>8-15 mm Canon EF f/4L Fisheye USM</b> <b>+ Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b> <b>or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from adapter.</i>	Lens shade must be removed. Dome shade must be removed to eliminate vignetting. AF only. <b>Product(s) required:</b> <b>75340</b> Dome Port <b>75020</b> Extension <b>5509.28</b> Zoom Gear	Lens shade must be removed. Dome shade must be removed to eliminate vignetting. AF only. <b>Product(s) required:</b> <b>75348</b> Dome Port <b>75028</b> Extension <b>5509.28</b> Zoom Gear	
<b>10-18 mm Sony E f/4 OSS</b>	AF only. <b>Product(s) required:</b> <b>75340</b> Dome <b>5509.28</b> Zoom Gear		
<b>11-18 mm Tokina f/2.8</b>	Compact and lightweight for travel. Better for close focus wide angle. AF only. <b>Product(s) required:</b> <b>75348</b> Dome Port <b>5509.28</b> Zoom Gear	Larger dome is best for split shots (half-in, half-out of the water). May have slightly better edge sharpness compared to compact dome. AF only. <b>Product(s) required:</b> <b>75340</b> Dome Port <b>5509.28</b> Zoom Gear	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>11-20 mm Tamron f/2.8 Di III-A RXD</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. May use alternative extension as short as 37mm with some negative effect on edge sharpness. Use thinnest foam strips with zoom clamp. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75050</b> Extension  <b>5509.29</b> Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). May have slightly better edge sharpness compared to compact dome. May use alternative extension as short as 28mm with some negative effect on edge sharpness. Use thinnest foam strips with zoom clamp. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.29</b> Zoom Gear</p>	
<b>12 mm Carl Zeiss Touit 2.8/12</b>	<p>Dome shade must be removed to eliminate vignetting. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p>		
<b>12 mm Rokinon f/2.8 Full Frame Fisheye + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from Metabones adapter.</i>	<p>Port recommendation not available.</p>		
<b>12-24 mm Sony f/2.8 FE GM</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75037</b> Extension  <b>5509.41</b> Zoom Gear</p>	<p>Compact 8" dome port is not recommended due to vignetting.</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>12-24 mm Sony f/4 FE G</b>	<p>Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.32</b> Zoom Gear</p>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>5509.32</b> Zoom Gear</p>	
<b>14 mm Sony f/1.8 GM</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75037</b> Extension</p>	
<b>14 mm Samyang f/2.8 AF FE Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p>		
<b>14 mm Sigma f/1.8 DG HSM Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75050</b> Extension</p>		
<b>14-24 mm Sigma f/2.8 DG DN Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>75042</b> Extension  <b>5509.26</b> Zoom Gear</p>		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>15 mm Sigma f/2.8 EX DG Diagonal Fisheye + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from adapter.</i>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port		
<b>16 mm Sigma f/1.4 DC DN</b>	Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.  <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75042</b> Extension	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port
<b>16 mm Sony E f/2.8 Pancake</b>	Vignetting (dark shadows in the corners of the image) will be present. AF only.  <u>Product(s) required:</u> <b>75340</b> Dome		
<b>16 mm Sony E f/2.8 Pancake + Fisheye Converter VLC-ECF1</b>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome		
<b>16 mm Sony E f/2.8 Pancake + Ultra Wide Converter VLC-ECU1</b>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome		
<b>16-28 mm Sigma f/2.8 DG DN</b>	Larger dome is best for split shots (half-in, half-out of the water). AF only.  <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension <b>5509.28</b> Zoom Gear	Compact and lightweight for travel. Better for close focus wide angle. AF only.  <u>Product(s) required:</u> <b>75344</b> Dome Port <b>75028</b> Extension <b>5509.28</b> Zoom Gear	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>16-35 mm Sony FE f/2.8 GM</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75028</b> Extension  <b>75050</b> Extension  <b>5509.16</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.74</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75028</b> Extension  <b>75050</b> Extension  <b>5509.16</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.74</b> Anti-Reflection Ring</p>	
<b>16-35 mm Sony FE f/4 G PZ</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>5509.16</b> Zoom Gear</p>		
<b>16-35 mm Sony FE f/4 ZA OSS Vario Tessar T*</b>	<p>Superior edge sharpness compared to shorter ports. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.25</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.72</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75042</b> Extension  <b>5509.25</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.72</b> Anti-Reflection Ring</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>5509.25</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.72</b> Anti-Reflection Ring</p>
<p><b>16-35 mm Canon EF f/2.8L II USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b>  <b>or Sigma MC-11 Adapter</b></p> <p><i>Tripod foot must be removed from Metabones adapter.</i></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.04</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.04</b> Anti-Reflection Ring</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>16-35 mm Canon EF f/2.8L III USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from Metabones adapter.</i>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>(2) 75050</b> Extensions  <b>5509.12</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.05</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>(2) 75050</b> Extensions  <b>5509.12</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.05</b> Anti-Reflection Ring</p>	
<b>16-35 mm Canon EF f/4L USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b>  <i>Tripod foot must be removed from Metabones adapter.</i>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.01</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.01</b> Anti-Reflection Ring</p>	
<b>16-50 mm Sony E f/3.5-5.6 PZ OSS</b>	Port recommendation not available.		
<b>16-70 mm Sony E f/4 ZA OSS Vario-Tessar T*</b>	Port recommendation not available.		
<b>17-28 mm Tamron f/2.8 Di III RXD E-Mount</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.29</b> Zoom Gear</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75028</b> Extension  <b>75037</b> Extension  <b>5509.29</b> Zoom Gear</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>17-40 mm Canon f/4.0L EF USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b>  <i>Tripod foot must be removed from adapter.</i>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.02</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>0923.02</b> Anti-Reflection Ring</p>	
<b>18 mm Zeiss Batis f/2.8</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75028</b> Extension</p> <p><b>Optional accessories:</b>  <b>0923.82</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75028</b> Extension</p> <p><b>Optional accessories:</b>  <b>0923.82</b> Anti-Reflection Ring</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>0923.82</b> Anti-Reflection Ring</p>
<b>18-105 mm Sony E PZ f/4 G OSS</b> <b>18-200 mm Sony E f/3.5-6.3 OSS</b> <b>18-200 mm Sony E f/3.5-6.3 OSS LE</b>	<p>Port recommendation not available.</p>		
<b>20 mm Sony FE f/1.8 G</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Dome Port  <b>75028</b> Extension</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p>



	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>20 mm Sony E f/2.8</b>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port		
<b>24 mm Sony FE f/1.4 GM</b>	Larger dome is best for split shots (half-in, half-out of the water). AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension	Compact and lightweight for travel. Better for close focus wide angle. AF only. <u>Product(s) required:</u> <b>75348</b> Dome Port <b>75028</b> Extension	
<b>24 mm Samyang f/2.8 AF FE</b>	AF or MF. Manual focus requires optional focus gear. <u>Product(s) required:</u> <b>75340</b> Dome Port <u>Optional accessories:</u> <b>5509.27</b> Focus Gear		
<b>24 mm Sigma f/1.4 DG HSM Art + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b>  <i>Tripod foot must be removed from adapter.</i>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension		
<b>24-70 mm Sigma f/2.8 DG DN Art</b>	Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75020</b> Extension <b>75050</b> Extension <b>5509.35</b> Zoom Gear	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75050</b> Extension <b>5509.35</b> Zoom Gear	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>24-70 mm Sony FE f/2.8 GM</b>	AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> 75340 Dome Port 75028 Extension 75050 Extension 5509.34 Zoom Gear		
<b>24-70 mm Sony FE f/2.8 GM II</b>	AF only. <u>Product(s) required:</u> 75340 Dome Port 75028 Extension 75042 Extension 5509.44 Zoom Gear	AF only. <u>Product(s) required:</u> 75340 Dome Port 75020 Extension 75050 Extension 5509.44 Zoom Gear	
<b>24-70 mm Sony FE f/4 ZA OSS Carl Zeiss Vario Tessar T*</b>	AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> 75340 Dome Port 75028 Extension 5509.28 Zoom Gear		
<b>24-105 mm Sony FE f/4 G OSS</b>	AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> 75340 Dome Port 75020 Extension 75050 Extension 5509.16 Zoom Gear		
<b>24-240 mm Sony FE f/3.5-6.3 OSS</b>	Lens not recommended due to zoom range.		
<b>25 mm Zeiss Batis f/2</b>	AF only. <u>Product(s) required:</u> 75340 Dome Port		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>28 mm Sony FE f/2</b>	<p>Superior edge sharpness compared to shorter ports. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75028 Extension</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> 75344 Dome Port 75042 Extension</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port</p>
<b>28 mm Sony FE f/2 + 16mm Fisheye Conversion Lens</b> SEL057FEC	<p>AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75028 Extension</p>		
<b>28 mm Sony FE f/2 + Ultra Wide Converter</b> SEL075UWC	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75028 Extension</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> 75344 Dome Port 75042 Extension</p>	
<b>28-70 mm Sony FE f/3.5-5.6 OSS</b>	<p>Superior edge sharpness compared to shorter ports. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> <b>+4 Diopter Required</b> 75340 Dome Port 75042 Extension 5509.28 Zoom Gear</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> <b>+4 Diopter Required</b> 75344 Dome Port 75050 Extension 5509.28 Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> <b>+4 Diopter Required</b> 75340 Dome Port 5509.28 Zoom Gear</p>
<b>28-75 mm Tamron f/2.8 Di III VXD G2</b>	<p>AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75042 Extension 5509.71 Zoom Gear 5509.1 Rubber Set</p>		
<b>28-135 mm Sony FE PZ f/4 G OSS</b>	<p>Lens not supported due to size.</p>		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>30 mm Sony E f/3.5 Macro</b>	AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port		
<b>35 mm Sony FE f/1.4 GM</b>	Compact and lightweight with better handling. Full angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75344</b> Dome Port <b>75028</b> Extension	Full angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75020</b> Extension	
<b>35 mm Sony FE f/1.4 ZA Distagon T*</b>	Large dome is better for split shots (half-in, half-out of the water). Full angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75042</b> Extension	Reduced angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75042</b> Extension	
<b>35 mm Sony E f/1.8 OSS</b> <b>35 mm Sony FE f/1.8</b> <b>35 mm Sony FE f/2.8 ZA Carl Zeiss Sonnar T*</b>	Compact and lightweight with better handling. Full angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75344</b> Dome Port	Full angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port	Reduced angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port
<b>50 mm Sony FE f/1.2 GM</b>	Reduced angle of coverage underwater. AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75037</b> Extension	Compact and lightweight for travel. Full angle of coverage underwater. Diopter required when shooting underwater. AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> <b>75340</b> Dome Port <b>75042</b> Extension	Full angle of coverage underwater. Diopter required when shooting underwater. AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> <b>75340</b> Dome Port

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>50 mm Sony f/1.8 FE</b>	<p>AF or MF.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port  <b>75020</b> Extension</p> <p><b>Optional accessories:</b>  <b>5509.27</b> Focus Gear</p>		
<b>50 mm Sony E f/1.8 OSS</b>	<p>AF or MF.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port</p> <p><b>Optional accessories:</b>  <b>5509.27</b> Focus Gear</p>		
<b>50 mm Sony f/2.8 Macro</b>	<p>AF or MF.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port  <b>75020</b> Extension</p> <p><b>Optional accessories:</b>  <b>5509.28</b> Focus Gear</p>		
<b>55 mm Sony FE f/1.8 ZA Carl Zeiss Sonnar T*</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port</p>		
<b>55-210 mm Sony E f/4.5-6.3 OSS 70-200 mm Sony FE f/4 G OSS</b>	<p>Lens not recommended due to zoom range and minimum focus distance 1m (39.37").</p>		
<b>85 mm Sony FE f/1.4 GM</b>	<p>Suitable for use above the surface of the water. Lens not recommended for use underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port  <b>75042</b> Extension</p>		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>85 mm Sony FE f/1.8</b>	<p>Suitable for use above the surface of the water. Lens not recommended for use underwater. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Port <b>75020</b> Extension</p>		
<b>90 mm Sony FE f/2.8 Macro G OSS</b>	<p>This shorter combination is needed when using macro wet lenses attached to the front of the port. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Port <b>75020</b> Extension <b>75042</b> Extension</p>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Port <b>75028</b> Extension <b>75050</b> Extension</p>	
<p><b>100 mm Canon f/2.8 EF USM Macro (non-IS) + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b></p> <p><i>Tripod foot must be removed from adapter.</i></p>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Front <b>75020</b> Extension <b>75050</b> Extension</p>		
<p><b>100 mm Canon f/2.8L EF IS USM Macro + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b></p> <p><i>Tripod foot must be removed from adapter.</i></p>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Front <b>75020</b> Extension <b>75050</b> Extension</p>		
<b>105 mm Sigma f/2.8 DG DN Macro Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Port <b>75028</b> Extension <b>75037</b> Extension</p>		
<b>135 mm Sony FE f/1.8 GM</b>	<p>This lens is too large to be used in the DL port system.</p>		