CRANE 2S Camera Compatibility List



Update Time: April 29th, 2022 (the corresponding stabilizer firmware version is 1.87)

		Photo		Video	Live		r Speed stment	Ape Adjus	rture tment	ISO Adj	ustment	EV Adj	ustment	Electronic	Halfway Press Shutter	Electronic Follow		Camera	
Camera Model	Save	Playback	Save	Playback	Priview	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
Sony a9 II	1	√	1	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V2.00	
Sony a9	1	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V6.00	
Sony a7R4	1	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.20	
Sony a7R3	V	1	1	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V3.01	1. Please select "PC Remote" for your camera's "USB Connection".
Sony α7M3	1	√	1	√	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V3.10	(To open a7s3 PC remote
Sony a7S3	√	√	√	1	-	-	-	-	-	-	-	-	-	\checkmark	-	-	Type-C to Multi USB	V1.01	control, go to "Menu" and do the following selection: "Network" -
Sony a7R2	1	√	√	√	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V4.01	"Transfer / Remote" - "PC remote
Sony a7S2	1	√	√	√	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V3.01	control" - "Open") 2. If using electronic focusing, set
Sony a6600	1	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.10	the "zoom setting" into "on: Digita
Sony a6500	1	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.06	zoom" in the menu and set the photo format into "JPEG".
Sony a6400	1	√	1	1	-	-	Ì -	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V2.00	photo format into the Eq.
Sony a6300	1	1	1	1	-	-	-	-	-	-	-	-	- 1	√	-	-	Type-C to Multi USB	V2.01	1
Sony a6100	1	√	1	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.00	1
Sony a9	1	J	1	J	-	1	J	√	1	1	J	J	1	-	1	√	Type-C to Micro USB	V6.00	
															1		Type-C to Micro USB]
Sony a7S3	√	√	√	√	-	√	√	√	√	√	√	√	√	-	√	√	Type-C to Type-C USB	V1.01	1. Please select "PC Remote" for
Sony A7C	1	1	1	1	-	1	J	√	1	1	1	J	√	-	1	J	Type-C to Type-C USB	V1.00	your camera's "USB Connection". 2. To trigger electronic focus, please
Sony A1	J	1	1	J	-	1	√	√	1	1	1	1	√	-	√	J	Type-C to Type-C USB / Type-C to Micro USB	V1.10	set "Manual Focus (MF)" under "focus mode"
Sony ILME-FX3	1	1	1	1	-	1	J	J	1	1	J	J	1	-	√	V	Type-C to Micro USB	V1.00	1
	J	J	J	J	-	-	-	-	-	-	-	-	-	J	-	-	Type-C to Multi USB	v1.0	1. Please select "PC Remote" for your camera's "USB Connection". 2. For Sony cameras, after connecting the gimbal and camera with the control cable, Please first power on the gimbal and then the camera. Make sure the camera has sufficient power to operate. 3. When shooting panorama or timelapse, it's recommended to turn off auto review in the Sony camera。
Sony α7M4	J	J	-	-	-	√	J	J	J	J	J	√	J	-	J	J	Type-C to Type-C / Type-C to Micro USB	v1.0	 Please select "PC Remote" for your camera's "USB Connection". For Sony cameras, after connecting the gimbal and camera with the control cable, Please first power on the gimbal and then the camera. Make sure the camera has sufficient power to operate. When shooting panorama or timelapse, it's recommended to turn off auto review in the Sony camera. To charge the camera, please use a Type-C to Type-C camera control cable.

_

	F	Photo	\	Video	Live	Shutte Adjus	r Speed stment	Ape Adjus	ture tment	ISO Adj	justment	EV Adj	ustment	Electronic	Halfway Press Shutter	Electronic Follow		Camera	
Camera Model	Save	Playback	Save	Playback	Priview	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
Sony A1	J	J	J	J	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.10	Please select "PC Remote" for your camera's "USB Connection". If using electronic focusing, set the "zoom setting" into "on: Digital"
Sony ILME-FX3	J	√	1	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.00	zoom" in the menu and set the photo format into "JPEG".
Panasonic G9	1	J	√	1	√	1	√	√	1	√	1	J	√	-	1	J	Type-C to Micro USB	V2.1	1. Please select "PC (Tether)" for your
Panasonic GH5	1	J	√	1	J	√	√	√	√	√	√	J	√	-	√	√	Type-C to Type-C USB	V2.6	camera's "USB Connection". 2. When using electronic focusing, the
Panasonic GH5S	√	√	J	√	√	√	√	J	√	√	√	J	J	-	√	√	Type-C to Type-C USB	V1.6	camera lens should be in "MF" mode. 3. Before connecting with a control
Panasonic GH6	√	J	√	1	-	√	√	√	√	√	√	√	√	-	√	√	Type-C to Type-C USB	V1.2	cable, please first turn off the USB
Panasonic S1	√	J	√	1	√	√	√	√	√	√	1	√	√	-	√	J	Type-C to Type-C USB	V1.3	Power Supply in camera settings. 4. When shooting Panorama or
Panasonic S5	√	J	√	1	√	√	√	√	√	√	√	√	√	-	√	√	Type-C to Type-C USB	V1.3	Timelapse, it is recommended to turn off auto review and duration
Panasonic S1H	√	J	1	1	1	1	1	1	1	1	√	J	1	-	√	√	Type-C to Type-C USB	V1.0	time(photo) in the Panasonic camera.
Panasonic DC-BGH1	-	-	J	1	-	-	1	-	J	-	J	-	1	-	-	J	Type-C to Type-C USB	V1.0	1.In the camera IN/OUT setting, please choose PC (Tether) for the USB mode.
Canon 1DX3	1	J	J	1	1	J	1	1	J	J	V	J	1	-	1	√	Type-C to Type-C USB	V1.1.0	
Canon 1DX2	1	J	1	√	1	J	1	√	J	J	1	J	1	-	1	√	Type-C to Micro USB	V1.0.2	1. If using electronic focusing, the
Canon 5D3	1	J	J	1	1	J	1	J	J	J	1	J	J	-	1	J	Type-C to Mini USB	V1.3.5	lens should be in AF mode while the camera in live view
Canon 5D4	1	J	J	1	1	J	1	1	J	J	1	J	1	-	1	√	Type-C to Micro USB	V1.0.4	2. If using electronic focus when the camera is recording, please set the
Canon 5DS	√	J	1	1	√	√	1	√	√	√	√	J	√	-	√	J	Type-C to Micro USB	V1.1.1	"Movie setting AF" into "disable".
Canon 5DS R	√	J	1	1	1	√	1	√	1	1	√	J	√	-	√	√	Type-C to Micro USB	V1.1.2R	
Canon 6D2	1	√	√	1	1	√	1	√	J	J	J	1	1	-	J	√	Type-C to Mini USB	V1.0.4	
Canon 80D	J	√	1	1	√	1	1	J	J	J	J	J	J	-	√	1	Type-C to Mini USB	V1.0.2	I. If using electronic focusing, the lens should be in AF mode while
Canon 90D	J	√	1	1	J	1	1	J	J	J	J	J	J	-	√	1	Type-C to Micro USB	V1.1.1	the camera in live view 2. If using electronic focus when the camera is recording, please set the
Canon EOS R5	J	J	J	1	-	J	1	J	J	J	J	J	J	-	J	1	Type-C to Type-C USB	V1.1.1	"Movie setting AF" into "disable". 3. When connecting with the Canon
Canon EOS R6	J	J	J	1	-	J	1	J	J	J	J	J	J	-	J	1	Type-C to Type-C USB	V1.1.1	90D, please first power on the stabilizer and the camera, then plug in the camera control cable.
Canon EOS R	J	J	J	1	-	J	1	J	J	J	J	J	J	-	J	1	Type-C to Type-C USB	V1.6.0	Due to the camera system, if you want to switch to Live Preview, please press the START/STOP
Canon EOS RP	J	J	J	1	-	J	1	J	J	J	J	J	J	-	×	-	Type-C to Type-C USB	V1.4.0	button on the camera twice (or the LV button on the stabilizer twice). To switch to the video/photo
Canon EOS C70	-	-	1	J	-	-	-	-	-	-	-	-	-	-	-	1	Type-C to Type-C USB	V1.0.0.1	mode, please plug out and in the cable.
Canon EOS M6 Mark 2	J	1	J	J	-	J	√	√	J	J	J	J	√	-	J	J	Type-C to Type-C USB	V1.10	

Octobra Model	F	Photo	,	Video	Live	Shutter Adjus	r Speed stment	Ape Adjus	ture tment	ISO Adj	ustment	EV Adjı	ustment	Electronic	Halfway Press Shutter	Electronic Follow	0	Camera	N. I.
Camera Model	Save	Playback	Save	Playback	Priview	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
Nikon D6	1	√	√	√	√	1	√	√	√	1	√	√	√	-	√	√	Type-C to Micro USB	V1.00	
Nikon D850	√	J	√	√	√	√	√	√	√	√	√	√	√	-	√	√ √	Type-C to Micro USB	V1.11]
Nikon D780	1	J	√	√	√	√	√	√	√	√	√	√	√	-	√	√ √	Type-C to Type-C USB	V1.01	When using electronic focusing, the camera lens should be in A(AF)
Nikon Z9	1	√	√	√	-	\ \	√	√	√	√	√	√	√	-	√	√	Type-C to Type-C USB	V1.0	mode and select AF-S or AF-C in
Nikon Z5	√	√	√	√	-	1	1	√	√	√	1	1	1	-	√	√	Type-C to Type-C USB	V1.00	focusing mode. 2. Nikon cameras don't support
Nikon Z6	1	√	√	√	-	\ \	√	√	√	1	√	√	√	-	√	√	Type-C to Type-C USB	V3.00	electronic focusing when recording. 3. When shooting Panorama or
Nikon Z6 II	1	√	√	√	-	1	1	1	√	√	1	1	1	-	√	√ √	Type-C to Type-C USB	V1.00	Timelapse, it is recommended to
Nikon Z7	1	√	√	√	-	1	√	√	√	1	1	1	1	-	√	√ √	Type-C to Type-C USB	V2.00	turn off image review in the Nikon camera to reduce system latency.
Nikon Z7 II	√	√	V	√	-	1	1	1	1	√	1	1	1	-	√	1	Type-C to Type-C USB	V2.00	camera to reduce system latericy.
Nikon Z50	√	√	√	√	-	1	√	√	√	√	√	√	√	-	√	J	Type-C to Micro USB	V1.00	
Nikon Zfc	J	J	1	J	-	-	-	J	J	-	-	-	-	-	J	J	Type-C to Type-C USB	V1.00	1. When using electronic focusing, the camera lens should be in A(AF) mode and select AF-S or AF-C in focusing mode. 2. Nikon cameras don't support electronic focusing when recording. 3. When shooting Panorama or Timelapse, it is recommended to turn off image review in the Nikon camera to reduce system latency.
SIGMA fp	1	J	√	√	-	-	-	-	-	-	-	-	-	-	√ √	-	Type-C to Type-C USB	V2.00	
FUJIFILM X-H1	1	J	√	J	-	-	-	-	-	√	-	√	√	-	√	-	Type-C to Micro USB	V2.00	1. Please set the "connection mode"
FUJIFILM X-T3	√	√	1	√	-	1	-	-	-	√	√	√	-	-	√	-	Type-C to Type-C USB	V3.21	into "USB TETHER shooting auto"
FUJIFILM X-T4	1	J	√	√	-	√	-	-	-	√	√	√	-	-	√	-	Type-C to Type-C USB	V1.01	for camera connection settings.
FUJIFILM X-T30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Type-C to Type-C USB	V1.30	When connecting the camera to the gimbal, please power on the gimbal first and connect the camera control cables before powering on the camera.

Camera Model	F	Photo	,	Video	Live		r Speed stment	Ape Adjus	ture tment	ISO Adj	ustment	EV Adju	ustment	Electronic	Halfway Press Shutter	Electronic Follow	Comerc Control Coble Time	Camera	Note
	Save	Playback	Save	Playback	Priview	Photo Mode		Photo Mode	Video Mode		Video Mode		Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
OLYMPUS E-M1 II	J	J	J	7	-	J	J	J	J	J	J	J	1	-	J	-	Type-C to Type-C USB	V3.1	1. Please select "PC Remote" for your camera's "USB mode".[ロョ
BMPCC 4K	-	-	1	√	-	√	√	1	√	1	√	-	-	-	-	1	Type-C to Type-C USB	V7.3	
BMPCC 6K	-	-	1	√	-	√	√	1	√	1	√	-	-	-	-	×	Type-C to Type-C USB	V6.9.1	
BMPCC 6K PRO	-	-	1	√	-	√	√	1	√	1	√	-	-	-	-	1	Type-C to Type-C USB	V7.3.1	
ZCAM E2 C	-	-	1	√	-	-	-	-	√	-	√	-	-	-	-	-	Type-C to Type-C USB	V0.98.0	
ZCAM E2	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	Type-C to Type-C USB	V0.95	1. Set the camera's "USB Connect" into "serial".
ZCAM E2 F6	-	-	1	1	-	-	-	-	√	-	1	-	-	-	-	-	Type-C to Type-C USB	V0.95	

Note:

- 1. This table will be updated in line with firmware update and is subject to change without prior notice.
- 2. For Sony cameras, after connecting stabilizer and camera with control cable, power on the stabilizer and then the camera. Make sure the camera is fully charged. Optical zoom control is available on the stabilizer when used with motorized lens. Please select zoom option in your camera's settings.
- 3. When shooting panorama or timelapse, it's recommended to turn off auto review in the Sony camera, turn off auto review and duration time(photo) in the Panasonic camera, turn off image review in the Nikon camera to reduce system latency.
- 4. Canon DSLRs cannot realize the halfway press shutter button to autofocus in Live Preview. If the feature is used, the camera Live Preview mode should be turned off.
- 5. When connecting a control cable to a Panasonic G9, turn off the USB Power Supply in the camera settings.
- 6. After connecting Olympus cameras to CRANE 2S, there will be a prompt on camera screen for you to choose USB mode. Please choose [🖳 🐧] (PC control) and turn camera mode dial to P, A, S, or M mode.
- 7. In Photo mode of Fujifilm, camera parameter control from camera is disabled and you can only adjust camera parameter via stabilizer. Press LV button of stabilizer to resume parameter control of your camera and press LV button again to return to stabilizer control; Fujifilm doesn't support saving photos in RAW format.
- 8. The "Real-time Preview" feature is for user to switch between electronic viewfinder and optical viewfinder in DSLR by single-clicking the LV button of the stabilizer.
- 9. For Canon mirrorless cameras, switch the shooting mode to photo mode before taking photos. When shooting a video is needed, switch the shooting mode. Please turn off your camera before switching modes. For EOS R/RP/R5/R6, shutter release can't be used to control video shooting in photo mode otherwise the camera may freeze. (In this case please take out the camera batteries and reinstall and turn on the camera again)
- 10. "\" means the camera can realize the function after connecting to the stabilizer; "x" means the camera currently cannot realize the function after connecting to the stabilizer, but there're possibilities that the function may open by a firmware update or other ways. "-" means the uncontrollable functions after connecting to the stabilizer is because the camera control protocol is not opened.

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	iviodei	Leris Model	Wounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zooni/Pocus Motor	installation hemark
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 8-15mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 16-35mm f/2.8L III USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	-	-		Can be balanced at any focal length
		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 √	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	-	-		Can be balanced at any focal length
		EF 24-70mm f/2.8L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
	1D X Mark II	EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	(Without Backing Base)		Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
Canon	5DS, 5DS R, 5D Mark IV,		Camera and Lens	J	J	-	-		Can be balanced at any focal length
	5D Mark III,	EF 24-105mm f/4L IS II USM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	6D Mark II, 6D, 90D, 80D		Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	02, 002, 002		Camera and Lens	J	J	-	-		Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	,	-	-		, ,
		EF 24mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	,	J	,	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	-	-		
		EF 35mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	1 ./	./	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1 1	./	- V	_ v	26.76 260 4 760606060	
		EF 50mm f/1.2L USM	Camera, Lens and Servo Motor (For Focus Control)	1 1	./	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	./	- V	_ v		
		EF 50mm f/1.4 USM	Camera, Lens and Servo Motor (For Focus Control)	1	./	./	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1 1	./	- V	_ v		
		EF 50mm f/1.8 STM	Camera, Lens and Servo Motor (For Focus Control)	./	./	J	./	Servo zoom & focus motor installed on either side	
			Camera and Lens	./	./		_ v	25.75 25077 & 10000 FINALOF INDICATION OF ORLINO SIGN	
		EF 85mm f/1.2L II USM	Camera, Lens and Servo Motor (For Focus Control)	./	./	J	.,	Servo zoom & focus motor installed on either side	
			Camera and Lens	./	./	_ V	_ v	25.10 25577 & 10500 FINALON INSTANTON OFF ORLING SING	
		EF 85mm f/1.4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	./	.1	.1	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	./			2007 2007 A 10000 FINALON INSTANCE OF OUR ICE SIDE	
		EF 85mm f/1.8 USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo Zoom & locus motor installed on either side	

Oamana Duand	Model	Lawa Madal	Manustina Ctatus	Balance A	djustment	Camera Ba	cking Base	Come Zoom/France Mater	Installation Decemb
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
	1D X Mark II	Sigma 24-70mm f/2.8 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	(Without Backing Base) 5DS, 5DS R,		Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	5D Mark IV,	Ciama 25mm f/1 4 DC LICM Art	Camera and Lens	√	√	-	-		
	5D Mark III, 6D Mark II,	Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
	6D, 90D, 80D	Circus Forest f/1 4 DO HOM Art	Camera and Lens	√	√	-	-		
		Sigma 50mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 8-15mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	J	J		Can be balanced at any focal length
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√ √	√	 	 	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1		√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	√	J		Can be balanced at any focal length
		EF 16-35mm f/2.8L III USM	Camera, Lens and Servo Motor (For Focus Control)	√ √	√	√	 	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√ √	√	√	 	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
Canon		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	J	J		Can be balanced at any focal length
	EOS R, EOS R5, EOS R6, EOSRP,	EF 24-70mm f/2.8L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	<i>J</i>	<i>√</i>	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EOS NO, EOSNE,		Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	(Non-RF lens should use		Camera and Lens	1	J	J	J		Can be balanced at any focal length
	EF-EOS R lens adapter)	EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	J .	<i>√</i>		Can be balanced at any focal length
		EF 24-105mm f/4L IS II USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	J	J		Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	1 1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 1	J	J	J		, ,
		EF 24mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	1 1	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J	J	J	J		
		EF 35mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1 ,	1	1	J		
		EF 50mm f/1.2L USM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J	J	J	J		
		EF 50mm f/1.4 USM	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	1	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	Adjustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Gamera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	installation Remark
		EF 50mm f/1.8 STM	Camera and Lens	J	√	√	√		
		Li John III / 1.0 Jiwi	Camera, Lens and Servo Motor (For Focus Control)	J	√	√	√	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.2L II USM	Camera and Lens	J	√	√	√		
		EF 63HIII I/ 1.2L II USIVI	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.4L IS USM	Camera and Lens	√	√	√	√		
		EF 83111111/1.4L 13 U3IVI	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	$\sqrt{}$	Servo zoom & focus motor installed on either side	
		FF 05 mm f/1 0 LICM	Camera and Lens	√	√	√	1		
		EF 85mm f/1.8 USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	√	1		Can be balanced at any focal length
		Sigma 24-70mm f/2.8 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Olemen OF sees 1/1 4 DO LIONA Art	Camera and Lens	√	1	-	-		
		Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	
		Ciarra a FOresa f/d 4 DO LIONA Art	Camera and Lens	√	1	-	-		
		Sigma 50mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	√	Servo zoom & focus motor installed on either side	
	EOS R, EOS R5, EOS R6, EOSRP,		Camera and Lens	J	1	1	1		Can be balanced at any focal length
Canon	EOS C70	RF15-35mm F2.8 L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	(Non-RF lens should use		Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EF-EOS R lens adapter)		Camera and Lens	√	√	√	1		Can be balanced at any focal length
		RF24-70mm F2.8 L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		RF24-105mm F4 L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	√	1		Can be balanced at any focal length
		RF28-70mm F2 L	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		DE05m E4 0	Camera and Lens	√	√	-	-		
		RF35mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	√	√	-	-	Servo zoom & focus motor installed on either side	
		DECO E4 0 1 11084	Camera and Lens	√	√	-	-		
		RF50mm F1.2 L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	<u>√</u>	√	Servo zoom & focus motor installed on either side	
		DE05mm F4.0.1.110M	Camera and Lens	√	1	-	-	_	
		RF85mm F1.2 L USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Wodel	Letis Model	Woulding Status	Horizontal	Vertical	Horizontal	Vertical	00140 200H/1 0003 HIOIOI	installation Hemark
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 14-24mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AF 0 A W ((O D 40 0 5	Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 16-35mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		15.0.7	Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S Zoom-NIKKOR 17-35mm f/2.8D IF-ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 18-35mm f/3.5-4.5G ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8E ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	-	-		Can be balanced at any focal length
		AF Zoom-NIKKOR 24-85mm f/2.8- 4D IF	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
Nikon	D850、D810、		Camera, Lens and Servo Motor (For Zoom Control)	1	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
NIKON	D750、 D610、D7500		Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-120mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 28-300mm f/3.5- 5.6G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	1	\ \	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AE NII/I/OD 1 (1-2-2-2-1/0 OD ED	Camera and Lens	√	1	-	-		
		AF NIKKOR 14mm f/2.8D ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
		AE 0 NII//OD 00 (/4 00 ED	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 20mm f/1.8G ED	Camera, Lens and Servo Motor (For Focus Control)	1	1	√	√	Servo zoom & focus motor installed on either side	
		A.F. O. A.W. (100 D. O	Camera and Lens	J	1	-	-		
		AF-S NIKKOR 24mm f/1.4G ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		AF 0.1 W// 0.0 C	Camera and Lens	J	1	-	-		
		AF-S NIKKOR 24mm f/1.8G ED	Camera, Lens and Servo Motor (For Focus Control)	J	1	√	1	Servo zoom & focus motor installed on either side	
		45.0 A W. G. 125	Camera and Lens	1	1	-	-		
		AF-S NIKKOR 35mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J	J	-	-		
		AF-S NIKKOR 50mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	

Company Durand	Model	Lawa Madal	Manustina Ctatus	Balance A	Adjustment	Camera Ba	cking Base	Come Zoom/Form Motor	Installation Domasti
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
		AF C NII/I/OD 05-mm f/1 40	Camera and Lens	√	√	-	-		,
		AF-S NIKKOR 85mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 85mm f/1.8G	Camera and Lens	√	√	-	-		
		AF-3 NIRRON 63IIIII I/ 1.6G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	1
	D850, D810,		Camera and Lens	√	√	-	-		Can be balanced at any focal length
	D750、	Sigma 24 70mm f/2.8L DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	D610、D7500		Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		C: C E1 4 DC	Camera and Lens	√	√	-	-		
		Sigma 35mm F1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Ciama F0mm F1 4 DC	Camera and Lens	√	√	-	-		
		Sigma 50mm F1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
							,		
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		NIKKOR Z 24-70mm f/2.8S	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	-	-		Can be balanced at any focal length
		NIKKOR Z 24-70mm f/4S	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		NW4/00 7.05 4/4.00	Camera and Lens	1	√	-	-		
		NIKKOR Z 35mm f/1.8S	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	J	Servo zoom & focus motor installed on either side	
		NW4/05 7 70 1/4 00	Camera and Lens	1	√	-	-		
Nikon		NIKKOR Z 50mm f/1.8S	Camera, Lens and Servo Motor (For Focus Control)	1	 	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	√	J	1		Can be balanced at any focal length
		AF-S NIKKOR 14-24mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	-	-		Can be balanced at any focal length
	Z5、Z6、	AF-S NIKKOR 16-35mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	1	 	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	Z 6II、Z7、Z9、	, , , , , , , , , , , , , , , , , , ,	Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	Z7 II、Zfc;		Camera and Lens	1	√	-	-		Can be balanced at any focal length
		AF-S Zoom-NIKKOR 17-35mm f/2.8D IF-ED	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		"Z.05 " LD	Camera, Lens and Servo Motor (For Zoom Control)	√ /	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√ √	1 √	-	-		Can be balanced at any focal length
		AF-S NIKKOR 18-35mm f/3.5-4.5G	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8E ED VR	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		VII.	Camera, Lens and Servo Motor (For Zoom Control)	1	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		AF Zoom-NIKKOR 24-85mm f/2.8- 4D IF	Camera, Lens and Servo Motor (For Focus Control)	1	 	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	1	4U IF	· · · · · · · · · · · · · · · · · · ·	 		· ·	<u> </u>		

Camera Brand	Model	Lens Model	Mounting Status	Balance A	Adjustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Odificia Dialiu	Wodei	Lens Woder	Woulding Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/r ocus Motor	installation Hemaik
		A	Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	V	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-120mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		AF-S NIKKOR 28-300mm f/3.5- 5.6G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AF NIKKOR 14mm f/2.8D ED	Camera and Lens	J	J	-	-		
		AL NIKKON 14HIII //2.0D ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ /	J	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 20mm f/1.8G ED	Camera and Lens	√	√	-	-		
		AF-3 NIKKON 2011111 / 1.09 ED	Camera, Lens and Servo Motor (For Focus Control)	√	J	√ /	√	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 24mm f/1.4G ED	Camera and Lens	√	√	-	-		
		AF-3 NIKKON 24HIII I/ 1.4G ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
Nikon	Z5、Z6、 Z 6ll、Z7、Z9、	AF-S NIKKOR 24mm f/1.8G ED	Camera and Lens	√	√	-	-		
NIKOII	Z7 II、Zfc;	AF-3 NIKKON 24HIIH // 1.0G ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 35mm f/1.4G	Camera and Lens	√	√	-	-		
		AF-3 NIRKON 33IIIII / 1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 50mm f/1.4G	Camera and Lens	√	√	-	-		
		AF-S NIKKOR SUMMI / 1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ √	√	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 85mm f/1.4G	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 85/11/11/1:4G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ √	√	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 85mm f/1.8G	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 85/11/11 / 1.8G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ √	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Sigma 24-70mm f/2.8L DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ √	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	√ /	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Sigmo 25mm E1 4 DC HSM A+	Camera and Lens	1	J	-	-		
		Sigma 35mm F1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	√	Servo zoom & focus motor installed on either side	
		Sigmo 50mm F1 4 DO	Camera and Lens	J	J	-	-		
		Sigma 50mm F1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	-

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Carriera Brand	Wiodei	Letis Widdei	Wounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zooni/i ocus wotoi	mstallation nemark
			Camera and Lens	√	√	√	1		Can be balanced at any focal length
		FE 16-35mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	√	√		Can be balanced at any focal length
		FE 16-35mm F4 ZAISS	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	. √	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	√	1		Can be balanced at any focal length
		FE 12-24mm F4 G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		FE 24mm F1.4GM	Camera and Lens	√	√	√	1		
		FE 2411111 F 1.4GIVI	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	√	1		Can be balanced at any focal length
		FE 24-70mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	V	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	J	J		Can be balanced at any focal length
		FE 24-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	1	1	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√ √	1	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√ √	J	J	1		
	40.40.11	FE 28mm F2	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
	A9、A9 II、 A9M2、A7R4、		Camera and Lens	J	J	J	J		
	A7R3、A7M3、	FE 50mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
Sony	A7M4, A7S3、A7R2、		Camera and Lens	1 1	J	J	J		
	A7M2、A7S2、	FE 85mm F1.4 GM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
	A7C、ILME-FX3、A1;		Camera and Lens	J	J	J	J		
		FE 85mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J J	J	J	J		
		Distagon T* FE 35mm F1.4 ZA	Camera, Lens and Servo Motor (For Focus Control)	J J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J	J	J	J		
		Sonnar T* FE 35mm F2.8 ZA	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J	J	J	J		
		Planar T* FE 50mm F1.4 ZA	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1 1	J	J	J		
		Sonnar® T* FE 55mm F1.8 ZA	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	,	j	,		Can be balanced at any focal length
		E 10-18mm F4 OSS	Camera, Lens and Servo Motor (For Focus Control)	1	,/	J	,	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 1	,/	J	,	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	./	,/	,/	,/	The state of the s	Can be balanced at any focal length
		E 16-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	1 1	,/	,/	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		2.0.0	Camera, Lens and Servo Motor (For Zoom Control)	./	./	./	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	./	./	./	25.13 25511 & 15505 FISTOR INSTANCE OF STATE STATE	Can be balanced at any local length
		E PZ 18-105mm F4 G OSS	Camera, Lens and Servo Motor (For Focus Control)	1	./	, V	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		L FZ 10-100111111 F4 G 000		1	√ 	l √ /	1		
			Camera, Lens and Servo Motor (For Zoom Control)	√	√ √	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

O Durad	Model	Loss Model	Marrier Out	Balance A	djustment	Camera Ba	acking Base	O 7 /F Mala	Lastalla Cara Barra da
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
			Camera and Lens	√	J	√	√		Can be balanced at any focal length
		E 18-200mm F3.5-6.3 OSS LE	Camera, Lens and Servo Motor (For Focus Control)	√	J	. √	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Sigma 16mm f/1.4 DC DN	Camera and Lens	√	√	√	√		
		Sigina Tonim 1/1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		0' 04 (1.4.70	Camera and Lens	√	√	√	√		
		Sigma 24mm f1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		0: 00 (4 4 50 51)	Camera and Lens	1	√	√	J		
	A9、A9 II、	Sigma 30mm f/1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	
	A9M2、A7R4、 A7R3、A7M3、	0	Camera and Lens	√	√	J	V		
	A7M4,	Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	J	Servo zoom & focus motor installed on either side	
	A7S3、A7R2、		Camera and Lens	√	J	√	J		
	A7M2、A7S2、 A7C、ILME-FX3、A1;	Sigma 50mm f/1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	√ √	1 √	 	√		
		Sigma 56mm F1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√ √	√	 	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	√	√		Can be balanced at any focal length
		Tamron28-75mm f/2.8	Camera, Lens and Servo Motor (For Focus Control)	1	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	1	1		Can be balanced at any focal length
		sigma18-35mm f/1.8 DC HSM Art (with adapter)	Camera, Lens and Servo Motor (For Focus Control)	1 1	1			Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Art (with adapter)	Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		1							-
Sony			Camera and Lens	1	√	√	√		Can be balanced at any focal length
		FE 16-35mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1			Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	1	1		Can be balanced at any focal length
		FE 16-35mm F4 ZAISS	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	J	J		Can be balanced at any focal length
		FE 12-24mm F4 G	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	A6600,		Camera and Lens	J	J	, ,	J		, ,
	A6500,	FE 24mm F1.4GM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
	A6400,		Camera and Lens	J	J	J	J		Can be balanced at any focal length
	A6300, A6100,	FE 24-70mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	A6000		Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	J	J	J		Can be balanced at any focal length
		FE 24-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
		FE 28mm F2	Camera, Lens and Servo Motor (For Focus Control)	J	J	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length
		FF 50 F4 0	Camera and Lens	1	√	√	√		
		FE 50mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	J	J J			Servo zoom & focus motor installed on either side	

Comerc Brand	Model	Long Madel	Mounting Status	Balance A	Adjustment Camera Backing Base		cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoon/Focus Motor	Installation Remark
		FE 50mm F1.8	Camera and Lens	√	√	√	√		
		12 0011111 1.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
		FE 85mm F1.4 GM	Camera and Lens	√	√	√	√		
		TE COMMITTION CANA	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		FE 85mm F1.8	Camera and Lens	√	√	√	J		
		FE OSHIII F1.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	
		Dietogen T* FF 25mm F1 4 74	Camera and Lens	√	√	1	√		
		Distagon T* FE 35mm F1.4 ZA	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Sonnar T* FE 35mm F2.8 ZA	Camera and Lens	J	J	J	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
		Soma 1 1 L Somm 2.0 ZA	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length
		Planar T* FE 50mm F1.4 ZA	Camera and Lens	J	√	√	√		
		Tidilai T TE SUITITT 1.4 ZA	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Sonnar® T* FE 55mm F1.8 ZA	Camera and Lens	J	J	√	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	1	1	√	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length
	A6600,	E 10-18mm F4 OSS	Camera and Lens	1	1	1	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
Sony	A6500, A6400, A6300,		Camera, Lens and Servo Motor (For Focus Control)	J	J	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length, Can be balanced at any focal length
	A6100, A6000		Camera, Lens and Servo Motor (For Zoom Control)	1	1	√	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length, Can be balanced at any focal length
			Camera and Lens	1	1	1	1		Can be balanced at any focal length
		E 16-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	J	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		E 16-55mm F2.8 G	Camera and Lens	√	√	1	1		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	1	√		Can be balanced at any focal length
		E PZ 18-105mm F4 G OSS	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	1	1		Can be balanced at any focal length
		E 18-200mm F3.5-6.3 OSS LE	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		<u> </u>	Camera, Lens and Servo Motor (For Zoom Control)	√	√	_ √	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		a	Camera and Lens	√	√	√	√		
		Sigma 16mm f/1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Sigma 24mm f1.4 DG	Camera and Lens	√ √	√	√	√		
			Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
		Sigma 30mm f/1.4 DC DN	Camera and Lens	√	√	√	√		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	

O Burnel	Model	Lens Model	Mounting Status	Balance A	Balance Adjustment Camera Backir		cking Base	Servo Zoom/Focus Motor	Leater Harrison Bosses de
Camera Brand	Model			Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
		Sigma 25mm f/1 4 DO LIGNA Art	Camera and Lens	√	√	√	J		
		Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Oissans 50mm f/4 4 DO	Camera and Lens	1	√	1	√		
		Sigma 50mm f/1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	1	Servo zoom & focus motor installed on either side	
	A6600,	Sigma 56mm F1.4 DC DN	Camera and Lens	1	1 √	√	J		
	A6500, A6400,		Camera, Lens and Servo Motor (For Focus Control)	1	 	√	J	Servo zoom & focus motor installed on either side	
Sony	A6300,		Camera and Lens	1	√	1	1		Can be balanced at any focal length
	A6100, A6000	Tamron28-75mm f/2.8	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	70000		Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	1	J		Can be balanced at any focal length
		Sigma18-35mm f/1.8 DC HSM	Camera, Lens and Servo Motor (For Focus Control)	J	J J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Art (with adapter)	Camera, Lens and Servo Motor (For Zoom Control)	1	<i>J</i>	√	<i>√</i>	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
				•					
			Camera and Lens	\ \	√	-	-		Can be balanced at any focal length
		XF 10-24mm f/4.0 R OIS	Camera, Lens and Servo Motor (For Focus Control)	1	 	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		XF 16-55mm f/2.8 R LM WR	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		XF 18-55mm f/2.8-4 R OIS	Camera and Lens	1	J	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	1	1	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		XF 16-80mm f1.4 R OIS WR	Camera and Lens	1	J	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	X-H1,		Camera and Lens	1	1	-	-		Can be balanced at any focal length
FUJIFILM	X-T4, X-T3,	XF 18-135mm f/3.5-5.6 R LM OIS WR	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	X-T2	VVD	Camera, Lens and Servo Motor (For Zoom Control)	1	J	1		Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	J	-	-		, ,
		XF 35mm f/2 R WR	Camera, Lens and Servo Motor (For Focus Control)	1 1	J	J		Servo zoom & focus motor installed on either side	
			Camera and Lens	1 1	J	-	-		
		XF 56mm f/1.2 R	Camera, Lens and Servo Motor (For Focus Control)	1 ,	1	1		Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		XC 15-45mm f/3.5-5.6 OIS	Camera, Lens and Servo Motor (For Focus Control)	1	1	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 ,	1	,/	,/	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 ,	1	-	-		Can be balanced at any focal length
		XC 16-50mm f/3.5-5.6 OIS	Camera, Lens and Servo Motor (For Focus Control)	./	./	./	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		7.0 10 001111170.0 0.0 0.0	Camera, Lens and Servo Motor (For Zoom Control)	./	,,	./	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	.1	./	- 1		20170 20011 & 10000 1110tol Installed On Ott IGI Side	Car be bala lood at any lood length
		Super EBC XF 23mm f/1.4 R	Camera, Lens and Servo Motor (For Focus Control)	1 .1	./	.1	./	Servo zoom & focus motor installed on either side	
	I		Carriora, Loris and Gorvo Motor (1 Or 1 Ocus Corition)	I V	I V	I √	I √	1 001 vo 200111 & 10003 1110t01 III3talled 011 ett let side	1

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Backing Base		Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Wodel	Lens Woder	mounting otatae	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Pocus Motor	installation nemark
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario-Elmarit 8-18mm f/2.8-4.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario 12-35mm f/2.8 II	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario-Elmarit 12-60mm f/2.8-4	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		CLIMMILLIV 10mm f/1 4	Camera and Lens	√	√	-	-		
		SUMMILUX 12mm f/1.4	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Lumix G 25mm f/1.7	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
	GH5s,	SUMMILUX 15mm f/1.7	Camera and Lens	√	√	-	-		
	GH5、 G9、		Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	
	DC-BGH1、GH6;	MACRO 30mm f/2.8	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
Panasonic		M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		M.ZUIKO DIGITAL ED 7-14mm f/2.8 PRO	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		M.Zuiko Digital ED 12-100mm f/4.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		IS FNO	Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Sigma18-35mm f/1.8 DC HSM Art (with adapter)	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		/ It (man adaptor)	Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
	S1H,	LUMIX S 24-105mm F/4 Macro OIS	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	S1、		Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	S5;	ON FEOUR TARGETY	Camera and Lens	√	√	√	1		
		CN-E50mm T1.3 FP X	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	Adjustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	iviodei	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Pocus Motor	installation Hemark
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Vario-Elmarit 8-18mm f/2.8-4.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Vario 12-35mm f/2.8 II	Camera, Lens and Servo Motor (For Focus Control)	√	J	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Vario-Elmarit 12-60mm f/2.8-4	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		SUMMILUX 12mm f/1.4	Camera and Lens	√	√	-	-		
		SOMMULON 12HHT1/1.4	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	
		25mm f/1.7	Camera and Lens	√	√	-	-		
		2311111 / 1.7	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		CLIMMILLIV 15 mm f/1 7	Camera and Lens	√	√	-	-		
	BMPCC 4K	SUMMILUX 15mm f/1.7	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		MACDO 200 1/0 0	Camera and Lens	√	√	-	-		
		MACRO 30mm f/2.8	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
BMD		M.ZUIKO DIGITAL ED 7-14mm f/2.8 PRO	Camera and Lens	√	√	-	-		
BMD			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		,, 2.0	Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		M.Zuiko Digital ED 12-100mm f/4.0 IS PRO	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		Sigma18-35mm f/1.8 DC HSM Art (with adapter)	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		, at (maradapter)	Camera, Lens and Servo Motor (For Zoom Control)	√	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 8-15mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	BMPCC 6K,		Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	BMPCC 6K PRO		Camera and Lens	√	√	-	-		
		EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		
		EF 16-35mm f/2.8L III USM	Camera, Lens and Servo Motor (For Focus Control)	J	J	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Wiodei	Lens Woder	Wounting Status	Horizontal	Vertical	Horizontal	Vertical	001V0 20011/1 0003 W0101	mstanation Hemark
			Camera and Lens	√	√	-	-		
		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	√ √	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	V	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 24-70mm f/2.8L II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	\ \	√	-	-		
		EF 24-105mm f/4L IS II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera and Lens	1	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	J	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		EF 24mm f/1.4L II USM	Camera and Lens	1	J	-	-		
	BMPCC 6K,		Camera, Lens and Servo Motor (For Focus Control)	1	√	J	√	Servo zoom & focus motor installed on either side	
BMD	BMPCC 6K PRO	FF 05 (// // IIII)	Camera and Lens	1	J	-	-		
		EF 35mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	√	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.2L USM	Camera and Lens	1	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	J	J	√	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.4 USM	Camera and Lens	1	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	√	√	√	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.8 STM	Camera and Lens	1	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	J	J	√	Servo zoom & focus motor installed on either side	
		FF 05 (// 0)	Camera and Lens	1	√	-	-		
		EF 85mm f/1.2L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	√	Servo zoom & focus motor installed on either side	
		FF 05 (1) 1) 10 110 1	Camera and Lens	1	√	-	-		
		EF 85mm f/1.4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	-	-		
		EF 85mm f/1.8 USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	-	-		
		Sigma 18-35 T2 (EF)	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		1.5	Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		ı						,	
	_		Camera and Lens	√	J	-	√		
Sigma	fp	45mm F2.8	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
	1			<u> </u>	· ·	•	_ •		

Camera Brand	Model	Lens Model	Mounting Status	Balance Adjustment		Camera Backing Base		Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Model	Lens Model	Woulding Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Pocus Motor	installation nemark
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Panasonic Lumix G Vario 7-14mm f/4 ASPH	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Panasonic Leica DG Vario-Elmarit 8-18mm f/2.8-4 ASPH.	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Panasonic Lumix GX Vario 12- 35mm f/4 ASPH	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Papaconia Lumiy 14mm f/2.5.C	Camera and Lens	√	J	-	-		
		Panasonic Lumix 14mm f/2.5 G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Lumix G X Vario 14-42mm f/3.5-5.6 Power O.I.S	Camera, Lens and Servo Motor (For Focus Control)	√	J	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Panasonic Lumix G Vario 14- 140mm f/3.5-5.6 ASPH.POWER O.I.S	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Panasonic Leica DG Summilux 15mm f/1.7 ASPH.	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
ZCAM	E2, E2C	Panasonic Lumix G 25mm f/1.7 ASPH	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	J	J	1	Servo zoom & focus motor installed on either side	
		Panasonic Lumix G 42.5mm f/1.7 ASPH	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		Panasonic Leica DG Macro-Elmarit 45mm f/1.7 ASPH.	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		
		Sigma 19mm F2.8 DM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 7-14mm f/2.8 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		7-14HHH 1/2.0 FNO	Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 8mm	Camera and Lens	√	√	-	-		
		f/1.8 Fisheye PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 12mm	Camera and Lens	√	√	-	-		
		f/2	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 12- 40mm f/2.8 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		101111111111111111111111111111111111111	Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 12- 100mm f/2.8 IS PRO	Camera, Lens and Servo Motor (For Focus Control)	√	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		10011111 1/2.0 10 1 110	Camera, Lens and Servo Motor (For Zoom Control)	√	J	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
								ı	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Backing Base		Servo Zoom/Focus Motor	Installation Remark
Carriera Brand	Model	Lens Woder	wounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Pocus Motor	installation nemark
			Camera and Lens	J	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 14- 42mm f/3.5-5.6 EZ	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 17mm	Camera and Lens	√	√	-	-		
		f/1.2 PRO	Camera, Lens and Servo Motor (For Focus Control)	J	√	√	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 25mm f/1.2 PRO	Camera and Lens	J	√	-	-		
		f/1.2 PRO	Camera, Lens and Servo Motor (For Focus Control)	J	√	√	√	Servo zoom & focus motor installed on either side	
	E2, E2C	Olympus M.Zuiko Digital ED 30mm	Camera and Lens	√	√	-	-		
		f/3.5 Macro	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 45mm	Camera and Lens	√	√	-	-		
		f/1.2 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 60mm f/2.8 Macro	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 75mm f/1.8 Lens	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
ZCAM									
		EF 8-15mm f/4L USM	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	1	-	-		Can be balanced at any focal length
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	1	-	-		Can be balanced at any focal length
	E2 F6	EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	1	-	-		Can be balanced at any focal length
		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

O Burnd	Model	Lens Model	Manualitas Oladas	Balance A	Adjustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Model	Letis Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoon/Focus Motor	ilistaliation hemark
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		FF 0.4mm f/4 41 11 10M	Camera and Lens	√	√	-	-		
		EF 24mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		EF 35mm f/1.4L II USM	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.2L USM	Camera and Lens	√	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.4 USM	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
ZCAM	E2 F6	EF 50mm f/1.8 STM	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.2L II USM	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		FF 05-same 6/4 AL IO LIOM	Camera and Lens	√	√	-	-		
		EF 85mm f/1.4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		FF 05	Camera and Lens	√	√	-	-		
		EF 85mm f/1.8 USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		Ciarra OF san file A DO LIGA A L	Camera and Lens	√	√	-	-		
		Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		Oinga F0 and 1/4 A DO 1/05 A A	Camera and Lens	√	√	-	-		
		Sigma 50mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	